

APPENDIX B:
VISUALIZATION, PHOTO ANALYSIS & SHADOW FLICKER ANALYSIS



A Conserve First Company



Pettisville Local Schools Wind Turbine Project Turbine Visualization and Photo Analysis

*Prepared for:
Pettisville Local Schools*

*Prepared by:
The Renaissance Group, a Conserve First LLC Company
AAron Godwin, Founder, AAron@ConserveFirst.com
Dick Kotapish, GIS Specialist, Dick@ConserveFirst.com
8281 Euclid Chardon Road, Suite E
Kirtland, OH, 44094
(440) 256-2800
www.ConserveFirst.com*

Submitted September 2, 2010

© Copyright 2010: The Renaissance Group, a Conserve First LLC Company, All Rights Reserved

This report cannot be reproduced, distributed, transmitted or copied in part or in full in any form or by any means electronic, photocopying or otherwise without the express written permission of The Renaissance Group, a Conserve First LLC Company, 8281 Euclid Chardon Road Suite E, Kirtland, Ohio 44094, Phone: 440.256.2800, Fax: 812.284.2800, Email: Info@ConserveFirst.com.

Thank You for Choosing The Renaissance Group, a Conserve First LLC Company

Introduction

Although the visual impact of wind turbine installations is highly subjective, some people consider them a tremendous asset to their landscape and community and others say “not in my backyard”. This said, it is often beneficial to get a sense of what an installation will look like before it is installed. The actual visibility of a turbine installation is affected by many factors: the size of the machine, the number of machines, tower and blade tip heights, turbine color, distance to the viewer, obstructions such as trees, hills and buildings, atmospheric conditions, Sun angle and even the curvature of the Earth. All things considered, the overall height of a turbine, obstructions in the sightline between the viewer and the turbine and the distance between the machine and the viewer has the greatest impact. Even in open unobstructed ground very tall towers become very small in the distance and even the largest of machines can be blocked by relatively short obstructions close to the viewer. All this said, when in an open sightline in close proximity, a modern wind turbine can be an imposing or an awe inspiring presence in the view-shed pending ones point of view. In all such cases, few would argue that the turbine was not a significant element of the said view-shed. (Further understanding concerning the relative view-shed size of turbines at distance and their visibility in relation to obstructions can be viewed on the following addendums at the end of this report: Horizon View Impact Calculator, Example Turbine View Calculator, Wind Turbine Visibility Over Obstruction Tables and Sample Wind Turbine View Calculator.)

Methods

Using field surveys, mathematical modeling and stake holder interests, the study team identified representative sightline locations for actual turbine visualization studies. At these sites, precise location logs were taken with accompanying photographs toward the turbine site. Camera bearings were confirmed using detailed maps and compass bearings. The camera height above ground was approximately 68” and the tilt was maintained at zero degrees/level. The camera’s focal length was maintained at 28 mm which was entered into the rendering software and which approximates a typical person’s field of view for the camera used, or approximately 65%. WindPro 2.7, an internationally accepted wind project modeling software, was used to create the visualizations. The software uses the input data such as turbine location, viewer location, topographical baselines maps, turbine model and height, camera bearing, camera tilt and camera focal length to calculate the distance of the turbine, its perspective height, differential ground levels and Sun angles to correctly locate, scale and shade the turbine onto the base sightline photograph. The technician then verifies for scale and location using secondary plots. The technician also manually removes the portions of the turbine overlay that would be blocked by the obstruction shown in the photo that would be between the viewer and the turbine.

Special consideration was given to identifying potentially historically or culturally significant view-sheds for historic buildings, sites and landscapes. This review was done in conjunction with the local Historical Society and utilizing the Ohio Historic Preservation Office database.

Panoramic photos were also taken at sample locations including the turbine installation site.

A Sony DSC-HX1 camera was used for all source imagery.


Results

See the following pages for representative turbine visualizations. Due to local obstruction proximities and densities to typical sightlines such as trees and buildings, much of the community will not be able to see the turbine. This said much of the surrounding farms will be able to see the turbine due to the general openness of the regions farming landscape and its overall flat terrain that surrounds the Village. This said,

due to perspective, the turbine will appear as a very small element of the skyline for most locations similar to the regions existing communication towers and granaries.


No historical or cultural site view-sheds were found that would be significantly impacted by the turbines installation.

For sites not modeled, the Report's included "Visualization Tables" can be used to determine approximate turbine visibility in relationship to viewer obstructions. A "Sample Wind Turbine View Calculator" has also been developed to mathematically model locations of concern upon community request, a sample of which is included in this report.



In addition to the above visualization, two visualizations were done from sample locations between Archbold and Pettisville where the turbines of both locations might be seen on the horizon, P+A-V-10 and P+A-V-11 (See map and the visualization photo log below).

Archbold and Pettisville Turbine Projects Visualization Locations Map



Pettisville Visualizations

Set Number	Picture Number	Distance from Turbine (miles)	Site Description	Latitude	Longitude	Direction
P-V-1	2309	1.38	State Route 2 – School House (NE)	41°32'37.38"N	84°12'34.13"W	225°
P-V-2	2311	1.82	County Road 17 – Between State Route 2 and County Road D	41°32'09.69"N	84°11'31.08"W	255°
P-V-3	2316	1.55	County Road C – Between Township Road 17 and County Road 17	41°30'51.65"N	84°12'08.17"W	314°
P-V-4	2321	0.11	Corner Willow and County Road D Northwest of the Turbine	41°31'44.46"N	84°17'25.80"W	228°
P-V-5	2323	0.24	Corner of Ballpark and County Road D	41°31'44.52"N	84°13'15.99"W	252°
P-V-6	2324	0.21	Corner of Summit and Willow	41°31'50.84"N	84°13'26.65"W	199°
P-V-7	2327	0.35	Corner of Main and Dame	41°31'55.67"N	84°13'45.87"W	144°
P-V-8	2336	1.11	5037 County Road 19 Driveway	41°32'37.83"N	84°13'46.32"W	164°
P-V-9	2337	0.35	Parking Lot of Pettisville Missionary Church	41°31'43.55"N	84°13'55.25"W	95°
P-V-10	2343	2.21	Corner of County Road 21 and County Road D	41°31'43.98"N	84°16'04.57"W	91°
P-V-11	2347	1.20	Historic Home – 4208 County Road 20	41°31'55.22"N	84°14'52.04"W	102°
P-V-12	SSS002	0.12	County Road D North West of the Turbine	41°31'43.61"N	84°13'39.09"W	115°

Proposed Site Panoramic Photos Looking Out

Looking East



Looking South



Looking West



Looking North



Turbine View Visualizations

P-V-1

State Route 2 - School House (NE)



P-V-2

County Road 17 - Between State Route 2 and County Road D



County Road C - Between Township Road 18 and County Road 17



P-V-4

Corner of Willow and County Road D



P-V-5

Corner of Ballpark & County Road D



Corner of Summit & Willow



P-V-7

Corner of Main and Dame
Not visible behind trees



P-V-8

5037 County Road 19 Driveway
Not visible behind trees



P-V-9

Parking Lot of Pettisville Missionary Church



P-V-10

Corner of County Road 21 and County Road D
Turbine Barely Visible



P-V-11

4208 County Road 21
Turbine Barely Visible



P-V-12

County Road D North West of the Turbine



Downtown Pettisville



Example Images of Other Regional Tall Structures

Local Granaries



Local Communication Relay Tower




Area Farm Silos and Cell Towers



(Also See Tall Tower Map and Tables Below)

Existing Tall Towers Within 4 Miles of The Proposed Turbine Site

- Tower Structures - (Pettisville, Ohio, United States)**



Registered Towers			
1	Nobco Inc. Dba = Wmtr Radio	367 feet	3.35 miles
2	New Par	212 feet	3.44 miles

Non-Registered Towers			
1	Mr Daniel Cunningham	323 feet	.56 miles
2	XI Group Inc	313 feet	2.36 miles
3	Roger Arnos	328 feet	2.47 miles
4	Toledo Cellular Telephone Company	225 feet	3.48 miles

Multiple Anntenas			
1	Pearl Gas Co	NA	2.47 miles
	Laidlaw Waste Systems Inc	328 feet	2.47 miles
	Ams Spectrum Holdings, Llc	109 feet	2.47 miles
	Futronics Paging Inc.	NA	2.47 miles
	Ams Spectrum Holdings, Llc	328 feet	2.47 miles
	Nextel License Holdings 4, Inc	98 feet	2.47 miles
	Quadco Rehabilitation Center Inc	NA	2.47 miles
	Beck, Kevin J	328 feet	2.47 miles
	Overnite Transportation Company	312 feet	2.47 miles
	Mohre Electronics Company	328 feet	2.48 miles
	Snows Fire Protection Service Inc	NA	2.47 miles
	Nofziger Door Sales Inc	NA	2.47 miles
2	M & R Redi Mix	NA	.39 miles
	M & R Redi Mix	NA	.39 miles
3	Buckeye Communications Inc	177 feet	1.87 miles
	Rupp, Donald	177 feet	1.87 miles
4	S W Mills Inc	NA	3.48 miles
	S W Mills Inc	NA	3.48 miles
	Aeschliman, John	NA	3.48 miles
5	Roadway Express	NA	3.89 miles
	Roadway Express	98 feet	3.89 miles
	Archbold Lawn Service	20 feet	3.89 miles
6	New Par	212 feet	3.44 miles
	Newpar	223 feet	3.44 miles

See the Website below for full details on these sites including precise locations, heights and frequencies.

<http://www.antennasearch.com/>

Single Antennas				
7	Pettisville School Corporation	NA	.40 miles	
8	Norfolk Southern Railway Company	10 feet	1.29 miles	
9	Four County Joint Vocational School	NA	1.50 miles	
10	Nofziger, Melvin:nofziger, Mark Dba Nofziger Farm Service	NA	1.56 miles	
11	Nafziger, Dan	105 feet	2.63 miles	
12	Worthington Steel Corporation	174 feet	3.59 miles	
13	Hoffman, Thomas	NA	3.71 miles	
14	Nofzinger Electric Inc	NA	3.79 miles	
15	Fibertower Spectrum Holdings Llc	20 feet	2.17 miles	

See the Website below for full details on these sites including but not limited to: precise locations, heights, frequencies and owners.

<http://www.antennasearch.com/>

Sample Horizon View Impact Calculator

Rotor Diameter 187 Feet

Viewer Distance From Turbine Feet	Miles	Percent of Total Horizon View-shed Affected	Percent of Total Average Persons Field of View Affected
100	0.02	29.76%	100.00%
200	0.04	14.88%	89.29%
400	0.08	7.44%	44.64%
800	0.15	3.72%	22.32%
1,600	0.30	1.86%	11.16%
3,200	0.61	0.93%	5.58%
5,280	1.00	0.56%	3.38%
10,560	2.00	0.28%	1.69%
15,840	3.00	0.19%	1.13%
21,120	4.00	0.14%	0.85%
26,400	5.00	0.11%	0.68%
52,800	10.00	0.06%	0.34%

Assumptions:

Model assumes absolute worst case for all variables.

Viewer is stationary, focused and looking directly at and centered on the turbine.

Viewer's field of view is 60 degrees.

Model assumes no sightline obstructions, crystal clear atmospheric visibility and 100% of the turbine is visible.

Model assumes the largest rotor diameter under consideration for the site.

Model assumes the turbine rotor is perpendicular to and fully visible to the viewer.

Model assumes worst case as if the turbine rotor diameter influences the entire column of the horizon as if the turbine was a solid plane covering the entire portion of the horizon at a width of the turbine's rotor.

Sample Turbine View Calculations

Baselines For Calculations

Turbine Height to Blade Tip	334 Feet
Turbine Height to Hub	246 Feet
Persons Eye Height	5.5 Feet
Based on Level Ground.	

Listed Obstruction Height (Feet)


**Will Block Turbine View
Within Listed Distance of Viewer (Feet)**

		Typical One Story House or Short Tree		Typical Two Story House or Tree		Typical Tall Tree or Tall Building		Apparent Height of Turbine at 3' Arm's Length (Inches Tall) (If You Could See the Entire Turbine)	
Obstruction Height (Feet)		17.5		35		70			
Minimum Visible Target to be Blocked		Hub Up	Blade Tip	Hub Up	Blade Tip	Hub Up	Blade Tip		
Viewer Distance From Turbine (Feet)		500	23	18	57	44	126	97	
(Feet)		1000	47	36	115	88	251	193	
(Feet)		1500	70	54	172	133	377	290	
(Feet)		2000	93	72	230	177	502	387	
(Feet)		2500	117	90	287	221	628	483	
(Feet)		3000	140	108	344	265	753	580	
(Feet)		3500	163	126	402	310	879	677	
(Feet)		4000	187	144	459	354	1004	774	
(Feet)		4500	210	162	517	398	1130	870	
(Feet)		5000	234	180	574	442	1255	967	

Example: At a distance of 2,500 feet from the turbine your view of the turbine would be blocked by any 17.5 foot structure or tree if it was less than 90 feet from you. The apparent height of an unobstructed turbine view at this distance would 4.8 inches tall at a 3 foot arms length from your eye.


Typical community and natural obstructions will block the view of the turbine for many residences and businesses, even some in close proximity to the site.

Values are approximate.



Sample Wind Turbine Visibility Over Obstructions Tables

Turbine Information:	Feet	Meters
Tower Height	246.1	75.0
Rotor Diameter	177.2	54.0
Tip Height	334.6	102.0
Eye Height	5.0	1.5



Example: Using the tables below, a wind turbine 1700 feet away from you would be blocked by any obstruction over 24.8 feet tall 125 feet or less away from you. Based on flat ground and provided eye height. As can be seen, relatively low obstructions close to the viewer typical of many residential, urban or wooded areas will completely obstruct your view of a wind turbine.

Obstruction Height	Turbine Distance																							
	2100	2200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300	
Obstruction Distance	10	6.6	6.5	7.5	7.4	7.2	7.1	6.9	6.8	6.7	6.6	6.5	6.4	6.4	6.3	6.3	6.2	6.2	6.1	6.1	6.1	6.0	6.0	
	20	8.1	8.0	10.1	9.7	9.4	9.1	8.9	8.7	8.5	8.3	8.1	8.0	7.9	7.7	7.6	7.5	7.4	7.4	7.3	7.2	7.1	7.0	
	30	9.7	9.5	12.6	12.1	11.6	11.2	10.8	10.5	10.2	9.9	9.7	9.5	9.3	9.1	9.0	8.8	8.7	8.5	8.4	8.3	8.2	8.0	
	40	11.3	11.0	15.1	14.4	13.8	13.2	12.8	12.3	11.9	11.6	11.3	11.0	10.7	10.5	10.3	10.1	9.9	9.7	9.5	9.4	9.3	9.1	
	50	12.8	12.5	17.7	16.8	16.0	15.3	14.7	14.2	13.7	13.2	12.8	12.5	12.2	11.9	11.6	11.3	11.1	10.9	10.7	10.5	10.3	10.2	
	60	14.4	14.0	20.2	19.1	18.2	17.4	16.6	16.0	15.4	14.9	14.4	14.0	13.6	13.2	12.9	12.6	12.3	12.1	11.8	11.6	11.4	11.2	11.0
	70	16.0	15.5	22.8	21.5	20.4	19.4	18.6	17.8	17.1	16.5	16.0	15.5	15.0	14.6	14.2	13.9	13.5	13.2	13.0	12.7	12.4	12.2	12.0
	80	17.6	17.0	25.3	23.8	22.6	21.5	20.5	19.7	18.9	18.2	17.6	17.0	16.5	16.0	15.5	15.1	14.8	14.4	14.1	13.8	13.5	13.2	13.0
	90	19.1	18.5	27.8	26.2	24.8	23.5	22.5	21.5	20.6	19.8	19.1	18.5	17.9	17.4	16.9	16.4	16.0	15.6	15.2	14.9	14.6	14.3	14.0
	100	20.7	20.0	30.4	28.5	27.0	25.6	24.4	23.3	22.3	21.5	20.7	20.0	19.3	18.7	18.2	17.7	17.2	16.8	16.4	16.0	15.6	15.3	15.0
	125	24.6	23.7	36.7	34.4	32.5	30.8	29.2	27.9	26.7	25.6	24.6	23.7	22.9	22.2	21.5	20.8	20.3	19.7	19.2	18.7	18.3	17.9	17.5
	150	28.5	27.5	43.0	40.3	38.0	35.9	34.1	32.5	31.0	29.7	28.5	27.5	26.5	25.6	24.8	24.0	23.3	22.7	22.1	21.5	21.0	20.5	20.0
	175	32.5	31.2	49.4	46.2	43.5	41.1	38.9	37.0	35.4	33.8	32.5	31.2	30.1	29.0	28.1	27.2	26.4	25.6	24.9	24.2	23.6	23.0	22.5
	200	36.4	35.0	55.7	52.1	49.0	46.2	43.8	41.6	39.7	38.0	36.4	35.0	33.7	32.5	31.4	30.4	29.4	28.5	27.7	27.0	26.3	25.6	25.0
	225	40.3	38.7	62.1	58.0	54.4	51.4	48.6	46.2	44.0	42.1	40.3	38.7	37.2	35.9	34.7	33.5	32.5	31.5	30.6	29.7	28.9	28.2	27.5
	250	44.2	42.5	68.4	63.9	59.9	56.5	53.5	50.8	48.4	46.2	44.2	42.5	40.8	39.3	38.0	36.7	35.5	34.4	33.4	32.5	31.6	30.8	30.0
	500	83.5	79.9	131.6	122.7	114.9	108.0	102.0	96.6	91.7	87.4	83.5	79.9	76.7	73.7	70.9	68.4	66.0	63.9	61.8	59.9	58.2	56.5	54.9
	1000	162.0	154.8	258.6	240.5	224.8	211.0	198.9	188.1	178.5	169.8	162.0	154.8	148.3	142.4	136.9	131.8	127.1	122.7	118.7	114.9	111.3	108.0	104.9

Obstruction Height	Turbine Distance																								
	3400	3500	3600	3700	3800	3900	4000	4100	4200	4300	4400	4500	4600	4700	4800	4900	5000	5100	5200	5300	5400	5500	5600		
Obstruction Distance	10	6.0	5.9	5.9	5.9	5.8	5.8	5.8	5.8	5.8	5.7	5.7	5.7	5.7	5.7	5.7	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6
	20	6.9	6.9	6.8	6.8	6.7	6.7	6.6	6.6	6.6	6.5	6.5	6.4	6.4	6.4	6.3	6.3	6.3	6.2	6.2	6.2	6.2	6.2	6.2	6.2
	30	7.9	7.8	7.7	7.7	7.6	7.5	7.5	7.4	7.4	7.3	7.2	7.2	7.1	7.1	7.0	7.0	6.9	6.9	6.9	6.8	6.8	6.8	6.8	
	40	8.9	8.8	8.7	8.6	8.5	8.4	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.7	7.7	7.6	7.6	7.5	7.5	7.4	7.4	7.4	
	50	9.8	9.7	9.6	9.5	9.3	9.2	9.1	9.0	8.9	8.8	8.7	8.7	8.6	8.5	8.4	8.4	8.3	8.2	8.2	8.1	8.1	8.0	7.9	
	60	10.8	10.7	10.5	10.3	10.2	10.1	9.9	9.8	9.7	9.6	9.5	9.4	9.3	9.2	9.1	9.0	9.0	8.9	8.8	8.7	8.7	8.6	8.5	
	70	11.8	11.6	11.4	11.2	11.1	10.9	10.8	10.6	10.5	10.4	10.2	10.1	10.0	9.9	9.8	9.7	9.6	9.5	9.4	9.4	9.3	9.2	9.1	
	80	12.8	12.5	12.3	12.1	11.9	11.8	11.6	11.4	11.3	11.1	11.0	10.9	10.7	10.6	10.5	10.4	10.3	10.2	10.1	10.0	9.9	9.8	9.7	
	90	13.7	13.5	13.2	13.0	12.8	12.6	12.4	12.2	12.1	11.9	11.7	11.6	11.4	11.3	11.2	11.1	10.9	10.8	10.7	10.6	10.5	10.4	10.3	
	100	14.7	14.4	14.2	13.9	13.7	13.5	13.2	13.0	12.8	12.7	12.5	12.3	12.2	12.0	11.9	11.7	11.6	11.5	11.3	11.2	11.1	11.0	10.9	
	125	17.1	16.8	16.4	16.1	15.8	15.6	15.3	15.1	14.8	14.6	14.4	14.2	14.0	13.8	13.6	13.4	13.2	13.1	12.9	12.8	12.6	12.5	12.4	
	150	19.5	19.1	18.7	18.4	18.0	17.7	17.4	17.1	16.8	16.5	16.2	16.0	15.7	15.5	15.3	15.1	14.9	14.7	14.5	14.3	14.2	14.0	13.8	
	175	22.0	21.5	21.0	20.6	20.2	19.8	19.4	19.1	18.7	18.4	18.1	17.8	17.5	17.3	17.0	16.8	16.5	16.3	16.1	15.9	15.7	15.5	15.3	
	200	24.4	23.8	23.3	22.8	22.3	21.9	21.5	21.1	20.7	20.3	20.0	19.7	19.3	19.0	18.7	18.5	18.2	17.9	17.7	17.4	17.2	17.0	16.8	
	225	26.8	26.2	25.6	25.0	24.5	24.0	23.5	23.1	22.7	22.2	21.9	21.5	21.1	20.8	20.5	20.1	19.8	19.5	19.3	19.0	18.7	18.5	18.2	
	250	29.2	28.5	27.9	27.3	26.7	26.1	25.6	25.1	24.6	24.2	23.7	23.3	22.9	22.5	22.2	21.8	21.5	21.2	20.8	20.5	20.3	20.0	19.7	
	500	53.5	52.1	50.8	49.5	48.4	47.3	46.2	45.2	44.2	43.3	42.5	41.6	40.8	40.1	39.3	38.6	38.0	37.3	36.7	36.1	35.5	35.0	34.4	
	1000	102.0	99.2	96.6	94.1	91.7	89.5	87.4	85.4	83.5	81.7	79.9	78.3	76.7	75.1	73.7	72.3	70.9	69.6	68.4	67.2	66.0	64.9	63.9	

Obstruction Height	Turbine Distance																						
	5700	5800	5900	6000	6100	6200	6300	6400	6500	6600	6700	6800	6900	7000	7100	7200	7300	7400	7500	7600	7700	7800	7900
Obstruction Distance	10	5.6	5.6	5.6	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.4	5.4	5.4	5.4	5.4	
	20	6.2	6.1	6.1	6.1	6.1	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.8	
	30	6.7	6.7	6.7	6.6	6.6	6.6	6.5	6.5	6.5	6.5	6.5	6.4	6.4	6.4	6.4	6.3	6.3	6.3	6.3	6.3	6.3	
	40	7.3	7.3	7.2	7.2	7.2	7.1	7.1	7.1	7.0	7.0	7.0	6.9	6.9	6.9	6.8	6.8	6.8	6.7	6.7	6.7	6.7	
	50	7.9	7.8	7.8	7.7	7.7	7.6	7.6	7.5	7.5	7.5	7.4	7.4	7.3	7.3	7.3	7.2	7.2	7.2	7.1	7.1	7.1	
	60	8.5	8.4	8.4	8.3	8.2	8.2	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.5	
	70	9.0	9.0	8.9	8.8	8.8	8.7	8.7	8.6	8.6	8.5	8.4	8.4	8.3	8.3	8.3	8.2	8.2	8.1	8.1	8.0	8.0	
	80	9.6	9.5	9.5	9.4	9.3	9.3	9.2	9.1	9.1	9.0	8.9	8.9	8.8	8.8	8.7	8.7	8.6	8.6	8.5	8.5	8.4	
	90	10.2	10.1	10.0	9.9	9.9	9.8	9.7	9.6	9.6	9.5	9.4	9.4	9.3	9.2	9.2	9.1	9.1	9.0	9.0	8.9	8.8	
	100	10.8	10.7	10.6	10.5	10.4	10.3	10.2	10.2	10.1	10.0	9.9	9.8	9.8	9.7	9.6	9.5	9.5	9.4	9.3	9.3	9.2	
Obstruction Height	125	12.2	12.1	12.0	11.9	11.8	11.6	11.5	11.4	11.3	11.2	11.1	11.0	10.9	10.8	10.7	10.6	10.6	10.5	10.4	10.4	10.3	
	150	13.7	13.5	13.4	13.2	13.1	13.0	12.8	12.7	12.6	12.5	12.4	12.3	12.2	12.1	12.0	11.9	11.8	11.7	11.6	11.5	11.3	
	175	15.1	14.9	14.8	14.6	14.5	14.3	14.2	14.0	13.9	13.7	13.6	13.5	13.4	13.2	13.1	13.0	12.9	12.8	12.7	12.6	12.5	
	200	16.6	16.4	16.2	16.0	15.8	15.6	15.5	15.3	15.1	15.0	14.8	14.7	14.6	14.4	14.3	14.2	14.0	13.9	13.8	13.7	13.6	
	225	18.0	17.8	17.6	17.4	17.2	17.0	16.8	16.6	16.4	16.2	16.1	15.9	15.7	15.6	15.4	15.3	15.2	15.0	14.9	14.8	14.6	
	250	19.5	19.2	19.0	18.7	18.5	18.3	18.1	17.9	17.7	17.5	17.3	17.1	16.9	16.8	16.6	16.4	16.3	16.1	16.0	15.8	15.7	
	300	33.9	33.4	32.9	32.5	32.0	31.6	31.2	30.8	30.4	30.0	29.6	29.2	28.9	28.5	28.2	27.9	27.6	27.3	27.0	26.7	26.4	26.1
	400	45.8	45.2	44.6	44.0	43.4	42.8	42.2	41.6	41.0	40.4	40.0	39.6	39.2	38.8	38.4	38.0	37.6	37.2	36.8	36.4	36.0	
	500	53.9	53.4	52.9	52.5	52.0	51.6	51.2	50.8	50.4	50.0	49.6	49.2	48.8	48.4	48.0	47.6	47.2	46.8	46.4	46.0	45.6	
	1000	62.8	61.8	60.9	59.9	59.0	58.2	57.3	56.5	55.7	54.9	54.2	53.5	52.8	52.1	51.4	50.8	50.2	49.5	49.0	48.4	47.8	47.3


Sample Wind Turbine View Calculator

	Address	Longitude	Latitude
Project Turbine	Pettisville Local Schools Pettisville Ohio	232 Summit 84° 13' 31.51" W	41° 31' 40.68" N

Suject Viewpoint Property

Point of View

Sample



Turbine Information:

Tower Height
Rotor Diameter
Tip Height
Turbine Location Elevation Above Sea-level

Feet	Meters
213.3	65.0
177.2	54.0
301.8	92.0
748.0	228.0

Notes:

Viewpoint Information:

Viewpoint Distance From Turbine
Viewpoint Eye Height Above Ground
Viewpoint Ground Elevation Above Sea-level
Net Viewpoint Ground Elevation Above Sea-level

Feet	Meters
500.0	152.4
5.5	1.7
730.0	222.5
735.5	224.2

Notes:

Eye height + ground elevation above sea-level (Level Line For Calculations)

Obstruction Information:

Obstruction Distance From Viewpoint
Obstruction Height Above Ground
Obstruction Ground Elevation Above Sea-level
Net Obstruction Height Above Sea-Level

Feet	Meters
125.0	38.1
35.0	10.7
729.0	222.2
764.0	232.9

Notes:

Results:

Will The Turbine Be Visible?
Relative Visible Turbine Height at Obstruction Distance
Actual Portion of Turbine Showing
Will Blades Be Visible?
Will Hub Be Visible?

Yes	68.9%
56.3	17.2
208.1	63.4
Yes	100%
	Yes

Percent of Total Turbine and Tower

Feet / Meters Useful for landscape scale

Feet / Meters

Percent Rotor Diameter

Apparent Height of Visible Portion of Turbine, at Distance From Eye Below
Distance From Eye

0.901	0.3
10.8	27.5
2	0.61

Feet / Meters

Inches / Centimeters

Feet / Meters

Although this calculator does take into account relative topography, it does not take into account the width of obstructions or their shape. It calculates on a single vertical plane at a time. Although a good guide, it should only be used as a rough indicator of the magnitude of potential turbine visibility from a particular viewpoint.



Pettisville Local Schools Wind Turbine Project Shadow Flicker Analysis

Prepared for:
Pettisville Local Schools

Prepared by:
The Renaissance Group, a Conserve First LLC Company
AAron Godwin, Founder, AAron@ConserveFirst.com
Dick Kotapish, GIS Specialist, Dick@ConserveFirst.com
8281 Euclid Chardon Road, Suite E
Kirtland, OH, 44094
(440) 256-2800
www.ConserveFirst.com

Submitted September 2, 2010

© Copyright 2010: The Renaissance Group, a Conserve First LLC Company, All Rights Reserved

This report cannot be reproduced, distributed, transmitted or copied in part or in full in any form or by any means electronic, photocopying or otherwise without the express written permission of The Renaissance Group, a Conserve First LLC Company, 8281 Euclid Chardon Road Suite E, Kirtland, Ohio 44094, Phone: 440.256.2800, Fax: 812.284.2800, Email: Info@ConserveFirst.com.

Thank You for Choosing The Renaissance Group, a Conserve First LLC Company

Introduction

Proposed Turbine Location:

Pettisville Local Schools
232 Summit Street
Pettisville, Ohio 43553

Latitude: 41°31'40.68" N
Longitude: 84°13'31.51" W

While all tall objects cast shadows, wind turbines, due to their spinning blades, can cause moving/flickering shadows which can become an annoyance, especially in residential areas when they pass over windows. Fortunately, while the adverse effects of shadows can be subjective, the shadows themselves can be precisely modeled for location and duration. While modeling shadows for location knowing the latitude of site, the topography and the height and rotor diameter of a wind turbine is a precise science, quantifying the frequency of the shadow's actual occurrence is more difficult due to changing weather patterns affecting the actual Sun's intensity and presence. Further, weather patterns affect the orientation of the wind turbines blades as they follow the wind and hence their orientation to the Sun and the site. In short, on a cloudy day, there will be no shadows, and similarly, when the blades are parallel or close to parallel to the observer, none to limited moving shadow will be visible, and of course, if the wind is not sufficiently blowing to rotate the blades of the turbine, you will not have any moving shadow. Further, it is important to note the higher the angle of the Sun, the shorter the reach of the shadow and the smaller the area of potential impact. Further yet, it also important to note, due to the diffusion of light over distance, shadow intensity drops off significantly with distance. The thickness of the obstruction to the Sun, in this case the blades, also plays significantly into the actual apparent intensity and realized length of shadows. It is for these reasons that shadow distances over ten rotor diameters away from the turbine are considered insignificant. For shadow receptor sites within a turbine's shadow's reach, not all will receive shadow due to existing obstructions that block the shadows path such as other buildings, hills or trees. While evergreen trees will fairly consistently block shadows year-round, deciduous trees will have a lesser impact in the winter months when they have no leaves. Pending the density of the tree stand, single tree to an entire wooded area, winter shadows in these situations can go from being just slightly diffused to still totally obstructed. To properly model the true impacts of shadow flicker, all these considerations must be taken into account. Unobstructed shadows in latitudes similar to this study site will typically have a bow tie or flatten cross shape. In the winter, the sun rises lower on the horizon in the Southeast and sets in the Southwest and in the Summer, the Sun rises in the Northeast and sets in the Northwest all creating a path or area of potential shadow. The southern portion of the bowtie typically is larger due to there being more sunny days in the Summer although Winter shadows will be longer overall and tend to last for longer periods due to the lower angle of the Sun's rays. You will typically see more impacts in alignment with the site's predominate wind direction due to the corresponding predominate turbine blade orientation perpendicular to this direction and thus more visible moving shadows in this direction.

Although no official US policy has been adopted, international standards appear to be in consensus that flickering shadows in excess of thirty hours per year impacting a particular location are considered a potential nuisance.ⁱ This said, the qualitative impacts of the shadows are subjective.

When considering potential health impacts from wind turbine shadows/flicker, photosensitivity triggered epilepsy is the only issue that is discussed and has been dismissed for mid to large scale modern wind turbines such as the one being considered by the site due to turbine operating frequencies being too low to trigger seizures. According to the British Epilepsy Association, approximately five percent of individuals with epilepsy have sensitivity to light, and most people with photosensitive epilepsy are sensitive to flickering around 16-25Hz (Hertz or Hz = 1 flash per second), although some people may be sensitive to rates as low as 3Hz and as high as 60Hz (British Epilepsy Association, 2007). Specific to wind power projects, the British Epilepsy Association (2007) states that there is no evidence that wind turbines can trigger seizures, and newer wind commercial scale turbines are built to operate at a frequency of 1Hz or less. This conclusion is also supported by the epilepsy thresholds published by the American Epilepsy Foundation.ⁱⁱ Therefore, health effects due to projected shadow flicker are not anticipated or further evaluated. The primary concern with shadow flicker is the annoyance it could cause for adjacent home and business owners.

Methods

WindPro 2.7, an internationally accepted software modeling tool, was used to generate the areas of potential shadow flicker impact around the proposed turbine installation site. The software imports historic weather variable averages from the nearest national weather station to obtain average numbers of days with sunshine and the average wind direction distributions. Local Latitude drives the solar path models. Local topographical information is input to determine if there are any natural geographic influences such as hills or valleys. The turbine information including tower height and rotor diameter are input as variables to the location's shadow source models. Rotor diameter is also used to determine the study area of influence, a ten rotor diameters radius around the turbine or 1870 feet for the largest rotor diameter being considered for this site, based on internationally accepted standards.ⁱⁱⁱ Wind turbine operational variables for the site are also input which correspond to the turbine's overall percentage of operational time such as percentage of time when the wind speed is too low to rotate the blades and industry norms for availability driven from scheduled and unscheduled maintenance downtime. Wind speed Weibull distributions are from The Renaissance Group and State of Ohio wind data sets and models. Trees and other local obstructions are not considered in the base model (although can be added if desired) and thus the model can be considered a worst case, as if no obstructions existed. If a particular shadow receptor is found to be of potential concern, a receptor specific analysis of potential shadow flicker hours and occurrence periods/times is conducted, otherwise, the results are plotted for the area as a whole as average not-to-exceed threshold iso-lines on the map. Models were run at a two thousand meter hyper-conservative distance well beyond the likely observable shadows for this location and the turbines under consideration. For the playing field locations, extra-wide

and tall receptor windows were used of 100' x 100' to better insure potential impact recording. With this in mind, it is important to note that the model records all potential impacts as if they impacted the entire receptor, while in reality, they will only impact a relatively small portion of these large receptors at a given time.

Results

See "Pettisville WTG Shadow Flicker Analysis" map for a visualization of the results. No homes or occupied business structures outside the owner's property within the turbines shadow influence will receive significant flickering shadows of over 30 hours per year. While some of the farm to the southwest (Receptor H) will receive significant summer morning shadows, the farm's outbuildings will block most of the shadows from reaching the farmhouse (The newly planned playing fields to the East and West of the site will receive significant shadows year-round (See WindPro Receptor Analysis for detailed data for this receptor location). For the periods when shadowing events will overlap scheduled sporting or other use events, the school has adopted a policy that will temporarily shut down the turbine during the shadows impact on the playing fields. The financial loss to the school district from this policy will be minimal due to the short duration of the shadow events and the fact the sporting events typically only last a few hours, and further, the shutdowns will only need to occur during sunny weather. The houses Northeast of County Road D, the Southern exposure of the new School and a few of the houses to the west will receive less than 10 hours of shadow per year, although much of these shadows will be blocked by existing trees. (See below for further information and recommendations for the potentially impacted receptor sites.) (Also see "Turbine Use, Safety Policies and General Background" document for information on the Schools Turbine policies relating to shadow flicker.)

Models were run using a hyper-conservative two thousand meters, a distance well beyond the industry norm of ten rotor diameters, to insure full reporting of potential impacts. The models show the same iso-lines contour results for general shadow hour thresholds based on the actual average site conditions, but the tabular information shows worse case shadow hours and the potential hours of impact for particular receptor locations, as if it was always sunny. Also, note the further away from the turbine a receptor is the less intense the shadow will be. Beyond ten rotor diameters, shadows will be diffuse and difficult to see.

Overview of Tabular Results for Particular Sample Receptors:

- Receptor A: 960 Feet Away: 112 Main St.: Shadows will be highly diffuse, if visible at all, as the receptor is substantially blocked by trees and other structures, but possible in an open landscape from mid-February to early-March mornings and mid-October to early-November mornings with a total average of less than 7 hours of moving shadow per year possible.
- Receptor B: 1,950 Feet Away: 18372 County Road D: Shadows will be highly diffuse, if visible at all, as the receptor is well outside ten rotor diameters and likely substantially blocked by trees, but possible for very short durations during portions of late-February to early-March and mid-October evenings with a total average of less than 3 hours of moving shadow per year.

- Receptor C: 1238 Feet Away: 3770 County Road 19: Site will receive 0 hours of moving shadow.
- Receptor D: 1,080 Feet Away: 18519 County Road D: Shadows will be diffuse as the receptor is substantially blocked by evergreen trees, but possible during portions of April, August and early-September evenings with a total average of less than 9 hours of moving shadow per year.
- Receptor E: 646 Feet Away: 18636 County Road D: Shadows will be diffuse, as the receptor is shaded by trees, but possible during portions of January, February, October, November and very Early December evenings with a total average of less than 19 hours of moving shadow per year.
- Receptor F: 175 Feet Away: Proposed playing fields to the East: Shadows will be distinct late-April through mid-September afternoons and evenings with a total average of less than 159 hours of moving shadow per year.
- Receptor G: 175 Feet Away: Proposed playing fields to the West: Shadows will be distinct mid-April through mid to late August mornings with a total average of less than 85 hours of moving shadow per year.
- Receptor H: 897 Feet Away: 3902 County Road 19: Shadows will be substantially blocked by the farms outbuildings, but possible during portions of mid-April to Late June and mid-July to Late August early mornings with a total average of less than 17 hours of moving shadow per year.
- Receptor I: 686 Feet Away: 18863 County Road D: Shadows may be diffuse due to existing trees, but possible during portions of Late February to late-March and mid-September to mid-October mornings with a total average of less than 13 hours of shadow per year.
- Receptor J: 888 Feet Away: 18578 County Road D: Shadows will be diffuse, if visible at all, as the receptor is shaded by existing trees, but possible during portions of very late-January to early-March and mid-October to mid-November evenings (occurring in 16:00 to 17:00 hours) with a total average of less than 12 hours of moving shadow per year.
- Receptor K: 1181 Feet Away: 18520 County Road D: Shadows will be highly diffuse, if visible at all, due to distance and existing trees, but possible during portions of mid-February to mid-March and mid-October evenings (occurring in 16:00 to 18:00 hours) with a total average of less than 7 hours of moving shadow per year.
- Receptor L: 896 Feet Away: 3940 County Road 19: Shadows will be visible through one window during portions of late-March to late-April and late-August to mid-September mornings (all occurring in the 8:00 hour) with a total average of less than 11 hours of moving shadow per year.


The duration of particular shadow events can vary from a minute to hours pending the receptor. See the following tables at the end of this report for precise dates and times where shadows could occur for each listed sample receptor.

Note the iso-line diagram on the following page shows hour thresholds of shadow impact based on average site conditions with results being referenced to one meter squares of potential impact, i.e. a meter square area within an iso-line area will receive up to the threshold of shadow hours per year. As the tabular information represents larger areas and adds up the entire receptor as if it was one location, its cumulative hour results may be higher. This equates to watching if a shadow will enter a window to watching if it will enter any portion of an entire ball field or yard. Although impacts can be subjective, shadows impacting a specific receptor window are considered significantly more severe than those that impact a yard.

Recommendations

Based on the study findings, no occupied structure will receive over 30 hours of moving shadow per year, the currently accepted consensus on nuisance thresholds for moving shadows/flickering. No local, State or Federal policy or regulation exists to govern shadow flicker thresholds. This said, some receptors will receive some shadow which the affect of will be subjective to the receptor owners' views on the project and their sensitivity. With this in mind, the study authors would recommend that the project site owner follow the guidelines and mediation strategies outlined in "Turbine Use, Safety Policies and General Background".

Pettisville WTG Shadow Flicker Analysis



Project:

Pettisville Shadow Receptor Potential Impacts Analysis, 2000 Meters

Printed/Page

8/28/2010 7:07 PM / 1

Licensed user:

Conserve First LLC, d/b/a The Renaissance Group, Renewables

8281 Euclid Chardon Road, Suite E

US-44094 Kirtland, Ohio

4717

AAron Godwin / AAron@ConserveFirst.com

Calculated:

8/28/2010 7:06 PM/2.7.473



SHADOW - Main Result

Assumptions for shadow calculations

Maximum distance for influence

Calculate only when more than 20 % of sun is covered by the blade

Please look in WTG table

Minimum sun height over horizon for influence	3 °
Day step for calculation	1 days
Time step for calculation	1 minutes

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Operational time

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW
236	212	320	568	507	352	282	294	417	671	766	834

W	WNW	NW	NNW	Sum
753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

A ZVI (Zones of Visual Influence) calculation is performed before flicker calculation so non visible WTG do not contribute to calculated flicker values. A WTG will be visible if it is visible from any part of the receiver window. The ZVI calculation is based on the following assumptions:

Height contours used: Height Contours: FultonXYZ.wpo (1)

Obstacles used in calculation

Eye height: 1.5 m

Grid resolution: 10 m



WTGs

UTM WGS84 Zone: 16			Row data/Description			WTG type			Shadow data		
East	North	Z		Valid	Manufact.	Type-generator	Power, rated [kW]	Rotor diameter [m]	Hub height [m]	Calculation distance [m]	RPM
1	731,486	4,601,087	[m]	227.0	Unison	U54-750kW	750	54.0	75.0	1,088	25.0

Shadow receptor-Input

UTM WGS84 Zone: 16

No.	East	North	Z	Width	Height	Height a.g.l.	Degrees from south cw	Slope of window	Direction mode
	[m]	[m]	[m]	[m]	[m]	[m]	[°]	[°]	
A	731,185	4,601,222	227.8	1.0	1.0	1.0	-180.0	90.0	"Green house mode"
B	732,075	4,601,266	229.6	1.0	1.0	1.0	-180.0	90.0	"Green house mode"
C	731,205	4,600,817	230.7	1.0	1.0	1.0	-180.0	90.0	"Green house mode"
D	731,834	4,601,080	228.2	1.0	1.0	1.0	-180.0	90.0	"Green house mode"
E	731,629	4,601,227	229.4	1.0	1.0	1.0	-180.0	90.0	"Green house mode"
F	731,556	4,601,073	226.7	30.0	30.0	0.2	-180.0	90.0	"Green house mode"
G	731,427	4,601,067	227.8	30.0	30.0	0.2	-180.0	90.0	Fixed direction
H	731,197	4,601,030	230.4	1.0	1.0	1.0	-180.0	90.0	"Green house mode"
I	731,276	4,601,166	228.5	1.0	1.0	1.0	-180.0	90.0	"Green house mode"
J	731,699	4,601,229	228.4	1.0	1.0	1.0	-180.0	90.0	"Green house mode"
K	731,792	4,601,229	228.2	1.0	1.0	1.0	-180.0	90.0	"Green house mode"
L	731,199	4,601,091	229.2	1.0	1.0	1.0	-180.0	90.0	"Green house mode"

Project:

Pettisville

Printed/Page
8/28/2010 7:07 PM / 2

Licensed user:
Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E
US-44094 Kirtland, Ohio
4717
AAron Godwin / AAron@ConserveFirst.com
Calculated:
8/28/2010 7:06 PM/2.7.473

SHADOW - Main Result

Calculation Results

Shadow receptor

Shadow, expected values

No. Shadow hours

per year

[h/year]

A	6:23
B	2:04
C	0:00
D	8:25
E	18:09
F	158:55
G	84:37
H	16:10
I	12:12
J	11:25
K	6:50
L	10:49

Total amount of flickering on the shadow receptors caused by each WTG

No.	Name	Worst case	Expected
		[h/year]	[h/year]
1	Unison U54-750kW 750 54.0 !O! hub: 75.0 m (3)	930:39	319:36

Project:

Pettisville
 Printed/Page
 8/28/2010 7:07 PM / 3

Licensed user:

Conserve First LLC, d/b/a The Renaissance Group, Renewables
 8281 Euclid Chardon Road, Suite E
 US-44094 Kirtland, Ohio
 4717

AAron Godwin / AAron@ConserveFirst.com

Calculated:

8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar**Shadow receptor: A - Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (2)****Assumptions for shadow calculations**

Maximum distance for influence

2,000 m

Minimum sun height over horizon for influence

3 °

Day step for calculation

1 days

Time step for calculation

1 minutes

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Operational time

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June	July	August	September	October	November	December
1 08:04	07:50	07:13	08:21 (1) 07:22	06:35	06:06	06:07	06:31	07:03	07:33	07:08	08:00 (1) 07:44	
17:18	17:53	18:27	31 08:52 (1) 20:01	20:33	21:04	21:15	20:57	20:13	19:20	17:33	16 08:16 (1) 17:09	
2 08:04	07:49	07:12	08:22 (1) 07:20	06:34	06:06	06:07	06:32	07:04	07:34	07:10	08:03 (1) 07:45	
17:19	17:54	18:28	28 08:50 (1) 20:02	20:35	21:04	21:15	20:56	20:12	19:19	17:32	9 08:12 (1) 17:08	
3 08:04	07:48	07:10	08:24 (1) 07:18	06:33	06:05	06:08	06:33	07:05	07:36	07:11	07:46	
17:20	17:55	18:30	25 08:49 (1) 20:03	20:36	21:05	21:15	20:55	20:10	19:17	17:31	17:08	
4 08:04	07:47	07:09	08:25 (1) 07:17	06:31	06:05	06:08	06:34	07:06	07:37	07:12	07:47	
17:20	17:56	18:31	21 08:46 (1) 20:04	20:37	21:06	21:15	20:53	20:08	19:15	17:30	17:08	
5 08:04	07:46	07:07	08:27 (1) 07:15	06:30	06:05	06:08	06:35	07:07	07:38	07:13	07:48	
17:21	17:58	18:32	16 08:43 (1) 20:05	20:38	21:07	21:15	20:52	20:07	19:14	17:28	17:08	
6 08:04	07:45	07:05	08:31 (1) 07:13	06:29	06:04	06:10	06:36	07:08	07:39	07:14	07:49	
17:22	17:59	18:33	8 08:39 (1) 20:06	20:39	21:07	21:15	20:51	20:05	19:12	17:27	17:08	
7 08:04	07:44	07:04	08:28 (1) 07:12	06:28	06:04	06:10	06:37	07:09	07:40	07:16	07:50	
17:23	18:00	18:34	20:07	20:40	21:08	21:14	20:50	20:03	19:10	17:26	17:07	
8 08:04	07:42	08:02	07:10	06:27	06:04	06:11	06:38	07:10	07:41	09:04 (1) 07:17	07:51	
17:24	18:01	19:35	20:09	20:41	21:09	21:14	20:49	20:02	19:09	13 09:17 (1) 17:25	17:07	
9 08:04	07:41	08:32 (1) 08:00	07:08	06:25	06:03	06:12	06:39	07:11	07:42	09:01 (1) 07:18	07:52	
17:25	18:03	11 08:43 (1) 19:37	20:10	20:42	21:09	21:14	20:47	20:00	19:07	19 09:20 (1) 17:24	17:07	
10 08:04	07:40	08:29 (1) 07:59	07:07	06:24	06:03	06:12	06:40	07:12	07:43	08:58 (1) 07:19	07:52	
17:26	18:04	18 08:47 (1) 19:38	20:11	20:43	21:10	21:13	20:46	19:57	19:05	23 09:21 (1) 17:23	17:07	
11 08:03	07:39	08:28 (1) 07:57	07:05	06:23	06:03	06:13	06:41	07:13	07:44	08:56 (1) 07:21	07:53	
17:27	18:05	21 08:49 (1) 19:39	20:12	20:44	21:10	21:13	20:45	19:55	19:04	27 09:23 (1) 17:22	17:07	
12 08:03	07:38	08:26 (1) 07:56	07:04	06:22	06:03	06:14	06:42	07:14	07:45	08:54 (1) 07:22	07:54	
17:28	18:07	25 08:51 (1) 19:40	20:13	20:45	21:11	21:12	20:43	19:53	19:02	30 09:24 (1) 17:21	17:08	
13 08:03	07:36	08:24 (1) 07:54	07:02	06:21	06:03	06:14	06:43	07:15	07:46	08:54 (1) 07:23	07:55	
17:30	18:08	28 08:52 (1) 19:41	20:14	20:46	21:11	21:12	20:42	19:51	19:01	32 09:26 (1) 17:20	17:08	
14 08:02	07:35	08:23 (1) 07:52	07:00	06:20	06:03	06:15	06:44	07:16	07:47	08:53 (1) 07:24	07:56	
17:31	18:09	30 08:53 (1) 19:42	20:15	20:47	21:12	21:11	20:41	19:50	18:59	33 09:26 (1) 17:19	17:08	
15 08:02	07:34	08:22 (1) 07:51	06:59	06:19	06:03	06:16	06:45	07:17	07:49	08:52 (1) 07:25	07:56	
17:32	18:10	33 08:55 (1) 19:43	20:16	20:48	21:12	21:11	20:39	19:48	18:57	35 09:27 (1) 17:18	17:08	
16 08:02	07:32	08:21 (1) 07:49	06:57	06:18	06:03	06:17	06:46	07:18	07:50	08:51 (1) 07:27	07:57	
17:33	18:12	34 08:55 (1) 19:44	20:17	20:49	21:13	21:10	20:38	19:46	18:56	36 09:27 (1) 17:17	17:08	
17 08:01	07:31	08:21 (1) 07:47	06:56	06:17	06:03	06:18	06:47	07:19	07:51	08:50 (1) 07:28	07:58	
17:34	18:13	35 08:56 (1) 19:46	20:18	20:50	21:13	21:10	20:36	19:45	18:54	37 09:27 (1) 17:16	17:09	
18 08:01	07:30	08:20 (1) 07:45	06:54	06:16	06:03	06:18	06:48	07:20	07:52	08:49 (1) 07:29	07:58	
17:35	18:14	36 08:56 (1) 19:47	20:19	20:51	21:14	21:09	20:35	19:43	18:53	38 09:27 (1) 17:16	17:09	
19 08:00	07:28	08:19 (1) 07:44	06:53	06:15	06:03	06:19	06:49	07:21	07:53	08:50 (1) 07:30	07:59	
17:36	18:15	37 08:56 (1) 19:48	20:20	20:52	21:14	21:08	20:34	19:41	18:51	38 09:28 (1) 17:15	17:09	
20 08:00	07:27	08:20 (1) 07:42	06:51	06:14	06:03	06:20	06:50	07:22	07:54	08:50 (1) 07:31	08:00	
17:38	18:16	37 08:57 (1) 19:49	20:22	20:53	21:14	21:08	20:32	19:39	18:50	37 09:27 (1) 17:14	17:10	
21 07:59	07:25	08:19 (1) 07:40	06:50	06:13	06:03	06:21	06:52	07:23	07:55	08:49 (1) 07:33	08:00	
17:39	18:18	37 08:56 (1) 19:50	20:23	20:54	21:15	21:07	20:31	19:38	18:48	38 09:27 (1) 17:13	17:10	
22 07:58	07:24	08:19 (1) 07:39	06:48	06:13	06:04	06:22	06:53	07:24	07:57	08:49 (1) 07:34	08:01	
17:40	18:19	38 08:57 (1) 19:51	20:24	20:55	21:15	21:06	20:29	19:36	18:47	38 09:27 (1) 17:13	17:11	
23 07:58	07:22	08:18 (1) 07:37	06:47	06:12	06:04	06:23	06:54	07:25	07:58	08:49 (1) 07:35	08:01	
17:41	18:20	38 08:56 (1) 19:52	20:25	20:56	21:15	21:05	20:28	19:34	18:45	37 09:26 (1) 17:12	17:11	
24 07:57	07:21	08:19 (1) 07:35	06:45	06:11	06:04	06:24	06:55	07:26	07:59	08:50 (1) 07:36	08:02	
17:43	18:21	37 08:56 (1) 19:53	20:26	20:57	21:15	21:04	20:26	19:32	18:44	36 09:26 (1) 17:12	17:12	
25 07:56	07:19	08:19 (1) 07:34	06:44	06:10	06:04	06:25	06:56	07:27	08:00	08:50 (1) 07:37	08:02	
17:44	18:22	36 08:55 (1) 19:54	20:27	20:58	21:15	21:04	20:25	19:31	18:43	35 09:25 (1) 17:11	17:12	
26 07:55	07:18	08:20 (1) 07:32	06:42	06:10	06:05	06:26	06:57	07:28	08:01	08:51 (1) 07:38	08:03	
17:45	18:24	35 08:55 (1) 19:55	20:28	20:59	21:15	21:03	20:23	19:29	18:41	33 09:24 (1) 17:11	17:13	
27 07:55	07:16	08:20 (1) 07:30	06:41	06:09	06:05	06:26	06:58	07:29	08:02	08:51 (1) 07:39	08:03	
17:46	18:25	34 08:54 (1) 19:57	20:29	21:00	21:15	21:02	20:21	19:27	18:40	32 09:23 (1) 17:10	17:14	
28 07:54	07:15	08:20 (1) 07:29	06:39	06:08	06:05	06:27	06:59	07:30	08:04	08:53 (1) 07:41	08:03	
17:48	18:26	32 08:52 (1) 19:58	20:30	21:00	21:15	21:01	20:20	19:26	18:38	30 09:23 (1) 17:10	17:14	
29 07:53		07:27	06:38	06:08	06:06	06:28	07:00	07:31	08:05	08:54 (1) 07:42	08:03	
17:49		19:59	20:31	21:01	21:15	21:00	20:18	19:24	18:37	27 09:21 (1) 17:09	17:15	
30 07:52		07:25	06:37	06:07	06:06	06:29	07:01	07:32	08:06	08:55 (1) 07:43	08:04	
17:50		20:00	20:32	21:02	21:15	20:59	20:17	19:22	18:36	24 09:19 (1) 17:09	17:16	
31 07:51		07:23		06:07		06:30						

Project:

Pettisville
 Printed/Page
 8/28/2010 7:07 PM / 4

Licensed user:

Conserve First LLC, d/b/a The Renaissance Group, Renewables
 8281 Euclid Chardon Road, Suite E
 US-44094 Kirtland, Ohio
 4717

AAron Godwin / AAron@ConserveFirst.com

Calculated:

8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar**Shadow receptor: B - Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (3)****Assumptions for shadow calculations**

Maximum distance for influence

2,000 m

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Minimum sun height over horizon for influence

3 °

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Day step for calculation

1 days

Operational time

Time step for calculation

1 minutes

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June	July	August	September	October	November	December
1 08:04	07:50	07:13	17:40 (1)	07:22	06:35	06:06	06:07	06:31	07:03	07:33	07:08	07:44
17:18	17:53	18:27	19 17:59 (1)	20:01	20:33	21:04	21:15	20:57	20:13	19:20	17:33	17:09
2 08:04	07:49	07:12	17:39 (1)	07:20	06:34	06:06	06:07	06:32	07:04	07:34	07:10	07:45
17:19	17:54	18:28	20 17:59 (1)	20:02	20:34	21:04	21:15	20:56	20:12	19:19	17:32	17:08
3 08:04	07:48	07:10	17:39 (1)	07:18	06:33	06:05	06:08	06:33	07:05	07:36	07:11	07:46
17:19	17:55	18:30	21 18:00 (1)	20:03	20:36	21:05	21:15	20:54	20:10	19:17	17:31	17:08
4 08:04	07:47	07:09	17:39 (1)	07:17	06:31	06:05	06:08	06:34	07:06	07:37	18:22 (1)	07:12
17:20	17:56	18:31	20 17:59 (1)	20:04	20:37	21:06	21:15	20:53	20:08	19:15	7 18:29 (1)	17:29
5 08:04	07:46	07:07	17:38 (1)	07:15	06:30	06:05	06:08	06:35	07:07	07:38	18:19 (1)	07:13
17:21	17:58	18:32	20 17:58 (1)	20:05	20:38	21:07	21:15	20:52	20:07	19:14	13 18:32 (1)	17:28
6 08:04	07:45	07:05	17:39 (1)	07:13	06:29	06:04	06:10	06:36	07:08	07:39	18:17 (1)	07:14
17:22	17:59	18:33	19 17:58 (1)	20:06	20:39	21:07	21:15	20:51	20:05	19:12	16 18:33 (1)	17:27
7 08:04	07:44	07:04	17:40 (1)	07:12	06:28	06:04	06:10	06:37	07:09	07:40	18:16 (1)	07:16
17:23	18:00	18:34	17 17:57 (1)	20:07	20:40	21:08	21:14	20:50	20:03	19:10	17 18:33 (1)	17:26
8 08:04	07:42	07:02	18:41 (1)	07:10	06:27	06:04	06:11	06:38	07:10	07:41	18:14 (1)	07:17
17:24	18:01	19:35	14 18:55 (1)	20:08	20:41	21:09	21:14	20:49	20:02	19:09	20 18:34 (1)	17:25
9 08:04	07:41	08:00	18:43 (1)	07:08	06:25	06:03	06:11	06:39	07:11	07:42	18:14 (1)	07:18
17:25	18:03	19:37	10 18:53 (1)	20:10	20:42	21:09	21:14	20:47	20:00	19:07	20 18:34 (1)	17:24
10 08:04	07:40	07:59	07:07	06:24	06:03	06:12	06:40	07:12	07:43	18:13 (1)	07:19	07:52
17:26	18:04	19:38	20:11	20:43	21:10	21:13	20:46	19:57	19:05	21 18:34 (1)	17:23	17:07
11 08:03	07:39	07:57	07:05	06:23	06:03	06:13	06:41	07:13	07:44	18:13 (1)	07:20	07:53
17:27	18:05	19:39	20:12	20:44	21:10	21:13	20:45	19:55	19:04	20 18:33 (1)	17:22	17:07
12 08:03	07:38	07:55	07:04	06:22	06:03	06:14	06:42	07:14	07:45	18:13 (1)	07:22	07:54
17:28	18:06	19:40	20:13	20:45	21:11	21:12	20:43	19:53	19:02	19 18:32 (1)	17:21	17:08
13 08:03	07:36	07:54	07:02	06:21	06:03	06:14	06:43	07:15	07:46	18:14 (1)	07:23	07:55
17:30	18:08	19:41	20:14	20:46	21:11	21:12	20:42	19:51	19:01	18 18:32 (1)	17:20	17:08
14 08:02	07:35	07:52	07:00	06:20	06:03	06:15	06:44	07:16	07:47	18:14 (1)	07:24	07:56
17:31	18:09	19:42	20:15	20:47	21:12	21:11	20:41	19:50	18:59	17 18:31 (1)	17:19	17:08
15 08:02	07:34	07:50	06:59	06:19	06:03	06:16	06:45	07:17	07:49	18:15 (1)	07:25	07:56
17:32	18:10	19:43	20:16	20:48	21:12	21:11	20:39	19:48	18:57	15 18:30 (1)	17:18	17:08
16 08:02	07:32	07:49	06:57	06:18	06:03	06:17	06:46	07:18	07:50	18:16 (1)	07:27	07:57
17:33	18:11	19:44	20:17	20:49	21:13	21:10	20:38	19:46	18:56	11 18:27 (1)	17:17	17:08
17 08:01	07:31	07:47	06:56	06:17	06:03	06:18	06:47	07:19	07:51	18:20 (1)	07:28	07:58
17:34	18:13	19:46	20:18	20:50	21:13	21:10	20:36	19:45	18:54	3 18:23 (1)	17:16	17:09
18 08:01	07:30	07:45	06:54	06:16	06:03	06:18	06:48	07:20	07:52	07:29	07:58	
17:35	18:14	19:47	20:19	20:51	21:14	21:09	20:35	19:43	18:53	17:16	17:09	
19 08:00	07:28	07:44	06:53	06:15	06:03	06:19	06:49	07:21	07:53	07:30	07:59	
17:36	18:15	19:48	20:20	20:52	21:14	21:08	20:34	19:41	18:51	17:15	17:09	
20 07:59	07:27	07:42	06:51	06:14	06:03	06:20	06:50	07:22	07:54	07:31	08:00	
17:38	18:16	19:49	20:22	20:53	21:14	21:08	20:32	19:39	18:50	17:14	17:10	
21 07:59	07:25	07:40	06:50	06:13	06:03	06:21	06:51	07:23	07:55	07:32	08:00	
17:39	18:18	19:50	20:23	20:54	21:14	21:07	20:31	19:38	18:48	17:13	17:10	
22 07:58	07:24	07:39	06:48	06:13	06:04	06:22	06:52	07:24	07:57	07:34	08:01	
17:40	18:19	19:51	20:24	20:55	21:15	21:06	20:29	19:36	18:47	17:13	17:11	
23 07:58	07:22	07:37	06:47	06:12	06:04	06:23	06:54	07:25	07:58	07:35	08:01	
17:41	18:20	19:52	20:25	20:56	21:15	21:05	20:28	19:34	18:45	17:12	17:11	
24 07:57	07:21	07:35	06:45	06:11	06:04	06:24	06:55	07:26	07:59	07:36	08:02	
17:42	18:21	19:53	20:26	20:57	21:15	21:04	20:26	19:32	18:44	17:12	17:12	
25 07:56	07:19	17:46 (1) 07:34	06:44	06:10	06:04	06:25	06:56	07:27	08:00	07:37	08:02	
17:44	18:22	8 17:54 (1) 07:54	20:27	20:58	21:15	21:04	20:24	19:31	18:43	17:11	17:12	
26 07:55	07:18	17:43 (1) 07:32	06:42	06:10	06:05	06:25	06:57	07:28	08:01	07:38	08:02	
17:45	18:24	13 17:56 (1) 07:55	20:28	20:59	21:15	21:03	20:23	19:29	18:41	17:11	17:13	
27 07:54	07:16	17:42 (1) 07:30	06:41	06:09	06:05	06:26	06:58	07:29	08:02	07:39	08:03	
17:46	18:25	16 17:58 (1) 07:57	20:29	21:00	21:15	21:02	20:21	19:27	18:40	17:10	17:14	
28 07:54	07:15	17:40 (1) 07:28	06:39	06:08	06:05	06:27	06:59	07:30	08:04	07:40	08:03	
17:47	18:26	18 17:58 (1) 07:58	20:30	21:00	21:15	21:01	20:20	19:26	18:38	17:10	17:14	
29 07:53	07:14	19:59	20:31	21:01	21:15	21:01	20:18	19:24	18:37	17:09	17:15	
17:49	18:27	20:00	20:32	21:02	21:15	20:59	20:17	19:22	18:36	17:09	17:16	
30 07:52	07:13	19:55	20:00	20:33	21:03	20:58	20:15	19:23	18:34	17:09	17:17	
17:50	18:28	20:00	20:32	21:02	21:15	20:59	20:17	19:22	18:36	17:09	17:16	
31 07:51	07:12	19:56	20:00	20:33	21:03	20:58	20:15	19:23	18:34	17:09	17:17	
17:51	18:29	20:00	20:32	21:02	21:15	20:59	20:17	19:22	18:36	17:09	17:16	
Potential sun hours 296	297	370	399	449	454	461	429	375	344	297	286	
Total, worst case		55		160					217			
Sun reduction												

Project:

THE RENAISSANCE GROUP

A Conserve First Company

Printed/Page
8/28/2010 7:07 PM / 5

Licensed user:

Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E

US-44094 Kirtland, Ohio

4717

AAron Godwin / AAron@ConserveFirst.com

Calculated

8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar

Shadow receptor: C - Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (4)

Assumptions for shadow calculations

Maximum distance for influence

2.000 m

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Sunshine probability (%) (Average daily sunshine hours) [SEE SEE AND]

Minimum sun height over horizon for influence

2,0

Day step for calculation

5
1 days

Operational time

	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
--	---	-----	----	-----	---	-----	----	-----	---	-----	----	-----	---	-----	----	-----	-----

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Surf
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

Table layout: For each day in each month the following matrix apply

Day in month	Sun rise (hh:mm)		First time (hh:mm) with flicker	(WTG causing flicker first time)
	Sun set (hh:mm)	Minutes with flicker	Last time (hh:mm) with flicker	(WTG causing flicker last time)

Project

Pettisville



Printed/Page
8/28/2010 7:07 PM / 6

Licensed user:

Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E
US-44094 Kirtland, Ohio
4717

AAron Godwin / AAron@ConserveFirst.com

Calculated

8/28/2010 7:06 PM/2.7.473

www.english-test.net

SHADOW - Calendar

Shadow receptor: D - Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (5)

Assumptions for shadow calculations

Maximum distance for influence

2.000 m

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Sunshine probability (%) (Average daily sunshine hours), [SUNSHINE]											
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Minimum sun height over horizon for influence

2,00

Day step for calculation

1 days

Operational time

Operational time		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657		

Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June	July	August	September	October	November	December				
1	08:04	07:50	07:13	07:22	06:35	06:06	06:07	06:31	07:03	18:52 (1)	07:33	07:08	07:44			
	17:18	17:53	18:27	20:01	20:33	21:04	21:15	20:57	20:13	33	19:25 (1)	19:20	17:33	17:09		
2	08:04	07:49	07:12	07:20	06:34	06:06	06:07	06:32	07:04	18:53 (1)	07:34	07:10	07:45			
	17:19	17:54	18:28	20:02	20:34	21:04	21:15	20:56	20:12	31	19:24 (1)	19:19	17:32	17:08		
3	08:04	07:48	07:10	07:18	06:33	06:05	06:08	06:33	07:05	18:53 (1)	07:36	07:11	07:46			
	17:19	17:55	18:30	20:03	20:36	21:05	21:15	20:54	20:10	30	19:23 (1)	19:17	17:31	17:08		
4	08:04	07:47	07:09	07:17	19:08 (1)	06:31	06:05	06:34	07:06	18:54 (1)	07:37	07:12	07:47			
	17:20	17:56	18:31	20:04	9	19:17 (1)	20:37	21:06	21:15	20:53	20:08	28	19:22 (1)	19:15	17:30	17:08
5	08:04	07:46	07:07	07:15	19:03 (1)	06:30	06:05	06:35	07:07	18:55 (1)	07:38	07:13	07:48			
	17:21	17:58	18:32	20:05	17	19:20 (1)	20:38	21:07	21:15	20:52	20:07	25	19:20 (1)	19:14	17:28	17:08
6	08:04	07:45	07:05	07:13	19:00 (1)	06:29	06:04	06:36	07:08	18:56 (1)	07:39	07:14	07:49			
	17:22	17:59	18:33	20:06	22	19:22 (1)	20:39	21:07	21:15	20:51	20:05	22	19:18 (1)	19:12	17:27	17:07
7	08:04	07:44	07:04	07:12	18:59 (1)	06:28	06:04	06:37	07:09	18:58 (1)	07:40	07:16	07:50			
	17:23	18:00	18:34	20:07	25	19:24 (1)	20:40	21:08	21:14	20:50	20:03	17	19:15 (1)	19:10	17:26	17:07
8	08:04	07:42	08:02	07:10	18:57 (1)	06:27	06:04	06:38	07:10	19:02 (1)	07:41	07:17	07:51			
	17:24	18:01	19:35	20:08	28	19:25 (1)	20:41	21:09	21:14	20:49	20:02	9	19:11 (1)	19:09	17:25	17:07
9	08:04	07:41	08:00	07:08	18:56 (1)	06:25	06:03	06:39	07:11	19:42	07:18	07:52				
	17:25	18:03	19:37	20:10	30	19:26 (1)	20:42	21:09	21:14	20:47	20:00		19:07	17:24	17:07	
10	08:04	07:40	07:59	07:07	18:55 (1)	06:24	06:03	06:40	07:12	19:43	07:19	07:52				
	17:26	18:04	19:38	20:11	31	19:26 (1)	20:43	21:10	21:13	20:46	19:57		19:05	17:23	17:07	
11	08:03	07:39	07:57	07:05	18:53 (1)	06:23	06:03	06:41	07:13	19:44	07:20	07:53				
	17:27	18:05	19:39	20:12	33	19:26 (1)	20:44	21:10	21:13	20:45	19:55		19:04	17:22	17:07	
12	08:03	07:38	07:55	07:04	18:53 (1)	06:22	06:03	06:42	07:14	19:45	07:22	07:54				
	17:28	18:06	19:40	20:13	34	19:27 (1)	20:45	21:11	21:12	20:43	19:53		19:02	17:21	17:08	
13	08:03	07:36	07:54	07:02	18:52 (1)	06:21	06:03	06:43	07:15	19:46	07:23	07:55				
	17:30	18:08	19:41	20:14	35	19:27 (1)	20:46	21:11	21:12	20:42	19:51		19:01	17:20	17:08	
14	08:02	07:35	07:52	07:00	18:52 (1)	06:20	06:03	06:44	07:12 (1)	19:47	07:24	07:56				
	17:31	18:09	19:42	20:15	36	19:28 (1)	20:47	21:12	21:11	20:41	5	19:17 (1)	19:50	17:19	17:08	
15	08:02	07:34	07:50	06:59	18:51 (1)	06:19	06:03	06:45	07:13	19:48	07:25	07:56				
	17:32	18:10	19:43	20:16	36	19:27 (1)	20:48	21:12	21:11	20:39	13	19:21 (1)	19:48	17:18	17:08	
16	08:02	07:32	07:49	06:57	18:51 (1)	06:18	06:03	06:46	07:15	19:49 (1)	07:18	07:50	07:27	07:57		
	17:33	18:11	19:44	20:17	35	19:26 (1)	20:49	21:13	21:10	20:38	18	19:23 (1)	19:46	17:17	17:08	
17	08:01	07:31	07:47	06:56	18:51 (1)	06:17	06:03	06:47	07:15	19:49 (1)	07:19	07:52	07:58			
	17:34	18:13	19:46	20:18	36	19:27 (1)	20:50	21:13	21:10	20:36	22	19:25 (1)	19:45	17:16	17:09	
18	08:01	07:30	07:45	06:54	18:51 (1)	06:16	06:03	06:48	07:15	19:48 (1)	07:20	07:52	07:58			
	17:35	18:14	19:47	20:19	35	19:26 (1)	20:51	21:14	21:09	20:35	25	19:26 (1)	19:43	17:16	17:09	
19	08:00	07:28	07:44	06:53	18:51 (1)	06:15	06:03	06:49	07:15	19:49 (1)	07:21	07:53	07:30	07:59		
	17:36	18:15	19:48	20:20	35	19:26 (1)	20:52	21:14	21:08	20:34	27	19:27 (1)	19:41	17:15	17:09	
20	07:59	07:27	07:42	06:51	18:51 (1)	06:14	06:03	06:50	07:15	19:59 (1)	07:22	07:31	08:00			
	17:38	18:16	19:49	20:22	33	19:24 (1)	20:53	21:14	21:08	20:32	29	19:28 (1)	19:39	17:14	17:10	
21	07:59	07:25	07:40	06:50	18:52 (1)	06:13	06:03	06:51	07:15	19:58 (1)	07:23	07:32	08:00			
	17:39	18:18	19:50	20:23	32	19:24 (1)	20:54	21:14	21:07	20:31	31	19:29 (1)	19:38	17:13	17:10	
22	07:58	07:24	07:39	06:48	18:52 (1)	06:13	06:04	06:53	07:15	19:57 (1)	07:24	07:57	07:34	08:01		
	17:40	18:19	19:51	20:24	31	19:23 (1)	20:55	21:15	21:06	20:29	32	19:29 (1)	19:36	17:13	17:11	
23	07:58	07:22	07:37	06:47	18:53 (1)	06:12	06:04	06:54	07:15	19:56 (1)	07:25	07:58	07:35	08:01		
	17:41	18:20	19:52	20:25	29	19:22 (1)	20:56	21:15	21:05	20:28	33	19:29 (1)	19:34	17:12	17:11	
24	07:57	07:21	07:35	06:45	18:54 (1)	06:11	06:04	06:55	07:15	19:55 (1)	07:26	07:59	07:36	08:02		
	17:43	18:21	19:53	20:26	27	19:21 (1)	20:57	21:15	21:04	20:26	35	19:30 (1)	19:32	17:12	17:12	
25	07:56	07:19	07:34	06:44	18:55 (1)	06:10	06:04	06:56	07:15	19:54 (1)	07:27	08:00	07:37	08:02		
	17:44	18:22	19:54	20:27	24	19:19 (1)	20:58	21:15	21:04	20:25	36	19:30 (1)	19:31	17:11	17:12	
26	07:55	07:18	07:32	06:42	18:57 (1)	06:10	06:05	06:57	07:15	19:54 (1)	07:28	08:01	07:38	08:02		
	17:45	18:24	19:55	20:28	21	19:18 (1)	20:59	21:15	21:03	20:23	35	19:29 (1)	19:29	17:11	17:13	
27	07:54	07:16	07:30	06:41	18:58 (1)	06:09	06:05	06:58	07:15	19:53 (1)	07:29	08:02	07:39	08:03		
	17:46	18:25	19:57	20:29	17	19:15 (1)	21:00	21:15	21:02	20:21	36	19:29 (1)	19:27	17:10	17:14	
28	07:54	07:15	07:28	06:39	19:01 (1)	06:08	06:05	06:59	07:15	19:53 (1)	07:30	08:04	07:40	08:03		
	17:47	18:26	19:58	20:30	12	19:13 (1)	21:00	21:15	21:01	20:20	36	19:29 (1)	19:26	17:18	17:14	
29	07:53		07:27	06:38		06:08	06:06	06:28	07:00	19:52 (1)	07:31	08:05	07:42	08:03		
	17:49		19:59	20:31		21:01	21:15	21:00	20:18	19:28 (1)	19:24	18:37	17:09	17:15		
30	07:52		07:25	06:37		06:07	06:06	06:29	07:01	18:52 (1)	07:32	08:06	07:43	08:04		
	17:50		20:00	20:32		21:02	21:15	20:59	20:17	19:27 (1)	19:22	18:36	17:09	17:16		
31	07:51		07:23			06:07		06:30	07:02	18:52 (1)		08:07		08:04		
	17:51		20:00			21:03		20:58	20:15	19:26 (1)		18:34		17:17		
Potential sun hours	296	297	370	399	449	454	461	429	375	344	297	286				
Total, worst case				703					518		195					
Sun reduction				0.57					0.65		0.55					
Oper. time red.				0.87					0.87		0.87					
Wind dir. red.				0.68					0.68		0.68					
Total reduction				0.34					0.39		0.33					
Total, real				239					202		64					

Table layout: For each day in each month the following matrix apply

Day in month	Sun rise (hh:mm)	Sun set (hh:mm)	Minutes with flicker	First time (hh:mm) with flicker	Last time (hh:mm) with flicker	(WTG causing flicker first time)	(WTG causing flicker last time)
--------------	------------------	-----------------	----------------------	---------------------------------	--------------------------------	----------------------------------	---------------------------------

Project:

Pettisville



Printed/Page

8/28/2010 7:07 PM / 7

Licensed user:

Conserve First LLC, d/b/a The Renaissance Group, Renewables

8281 Euclid Chardon Road, Suite E

US-44094 Kirtland, Ohio

4717

AAron Godwin / AAron@ConserveFirst.com

Calculated:

8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar

Shadow receptor: E - Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (6)

Assumptions for shadow calculations

Maximum distance for influence

2,000 m

Minimum sun height over horizon for influence

3 °

Day step for calculation

1 days

Time step for calculation

1 minutes

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Operational time

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June	July	August	September	October	November	December
1 08:04	08:04	07:50	15:24 (1) 07:13	07:22	06:35	06:06	06:07	06:31	07:03	07:33	07:08	14:54 (1) 07:44
1 17:18		17:53	58	16:22 (1) 18:27	20:01	20:33	21:04	21:15	20:57	20:13 19:20	17:33	61 15:55 (1) 17:09
2 08:04		07:49	15:24 (1) 07:12	07:20	06:34	06:06	06:07	06:32	07:04	07:34	07:10	14:54 (1) 07:45
2 17:19		17:54	58	16:22 (1) 18:28	20:02	20:35	21:04	21:15	20:56	20:12 19:19	17:32	60 15:54 (1) 17:08
3 08:04		07:48	15:24 (1) 07:10	07:18	06:33	06:05	06:08	06:33	07:05	07:36	07:11	14:53 (1) 07:46
3 17:19		17:55	59	16:23 (1) 18:30	20:03	20:36	21:05	21:15	20:55	20:10 19:17	17:31	61 15:54 (1) 17:08
4 08:04		07:47	15:24 (1) 07:09	07:17	06:31	06:05	06:08	06:34	07:06	07:37	07:12	14:54 (1) 07:47
4 17:20		17:56	60	16:24 (1) 18:31	20:04	20:37	21:06	21:15	20:53	20:08 19:15	17:30	61 15:55 (1) 17:08
5 08:04		07:46	15:24 (1) 07:07	07:15	06:30	06:05	06:09	06:35	07:07	07:38	07:13	14:54 (1) 07:48
5 17:21		17:58	60	16:24 (1) 18:32	20:05	20:38	21:07	21:15	20:52	20:07 19:14	17:28	60 15:54 (1) 17:08
6 08:04		07:45	15:24 (1) 07:05	07:13	06:29	06:04	06:10	06:36	07:08	07:39	07:14	14:54 (1) 07:49
6 17:22		17:59	60	16:24 (1) 18:33	20:06	20:39	21:07	21:15	20:51	20:05 19:12	17:27	60 15:54 (1) 17:08
7 08:04		07:44	15:24 (1) 07:04	07:12	06:28	06:04	06:10	06:37	07:09	07:40	07:16	14:54 (1) 07:50
7 17:23		18:00	61	16:25 (1) 18:34	20:07	20:40	21:08	21:14	20:50	20:03 19:10	17:26	60 15:54 (1) 17:07
8 08:04		07:42	15:24 (1) 08:02	07:10	06:27	06:04	06:11	06:38	07:10	07:41	07:17	14:54 (1) 07:51
8 17:24		18:01	61	16:25 (1) 19:35	20:09	20:41	21:09	21:14	20:49	20:02 19:09	17:25	60 15:54 (1) 17:07
9 08:04		07:41	15:24 (1) 08:00	07:08	06:25	06:03	06:12	06:39	07:11	07:42	07:18	14:54 (1) 07:52
9 17:25		18:03	61	16:25 (1) 19:37	20:10	20:42	21:09	21:14	20:47	20:00 19:07	17:24	59 15:53 (1) 17:07
10 08:04	15:42 (1) 07:40	15:24 (1) 07:59	07:07	06:24	06:03	06:04	06:12	06:40	07:12	07:43	07:19	14:55 (1) 07:52
10 17:26	10 15:52 (1) 08:04	61	16:25 (1) 19:38	20:11	20:43	21:10	21:13	20:46	19:57	19:05	17:23	58 15:53 (1) 17:07
11 08:03	15:38 (1) 07:39	15:25 (1) 07:57	07:05	06:23	06:03	06:13	06:41	07:13	07:44	07:21	14:56 (1) 07:53	
11 17:27	17 15:55 (1) 08:05	60	16:25 (1) 19:39	20:12	20:44	21:10	21:13	20:45	19:55	19:04	17:22	57 15:53 (1) 17:07
12 08:03	15:37 (1) 07:38	15:26 (1) 07:56	07:04	06:22	06:03	06:14	06:42	07:14	07:45	07:22	14:56 (1) 07:54	
12 17:28	20 15:57 (1) 08:06	59	16:25 (1) 19:40	20:13	20:45	21:11	21:12	20:43	19:53	19:02	17:21	56 15:52 (1) 17:08
13 08:03	15:36 (1) 07:36	15:25 (1) 07:54	07:02	06:21	06:03	06:14	06:43	07:15	07:46	16:26 (1) 07:23	14:56 (1) 07:55	
13 17:30	24 16:00 (1) 18:08	59	16:24 (1) 19:41	20:14	20:46	21:11	21:12	20:42	19:51	19:01	16:35 (1) 17:20	56 15:52 (1) 17:08
14 08:02	15:34 (1) 07:35	15:26 (1) 07:52	07:00	06:20	06:03	06:15	06:44	07:16	07:47	16:20 (1) 07:24	14:58 (1) 07:56	
14 17:31	27 16:01 (1) 18:09	58	16:24 (1) 19:42	20:15	20:47	21:12	21:11	20:41	19:50	18:59	20 16:40 (1) 17:19	54 15:52 (1) 17:08
15 08:02	15:34 (1) 07:34	15:27 (1) 07:50	06:59	06:19	06:03	06:16	06:45	07:17	07:49	16:16 (1) 07:25	14:58 (1) 07:56	
15 17:32	30 16:04 (1) 18:10	57	16:24 (1) 19:43	20:16	20:48	21:12	21:11	20:39	19:48	18:57	26 16:42 (1) 17:18	53 15:51 (1) 17:08
16 08:02	15:32 (1) 07:32	15:27 (1) 07:49	06:57	06:18	06:03	06:17	06:46	07:18	07:50	16:12 (1) 07:27	14:59 (1) 07:57	
16 17:33	33 16:05 (1) 18:11	56	16:23 (1) 19:44	20:17	20:49	21:13	21:10	20:38	19:46	18:56	32 16:44 (1) 17:17	52 15:51 (1) 17:08
17 08:01	15:32 (1) 07:31	15:28 (1) 07:47	06:56	06:17	06:03	06:18	06:47	07:19	07:51	16:10 (1) 07:28	15:00 (1) 07:58	
17 17:34	35 16:07 (1) 18:13	55	16:23 (1) 19:46	20:18	20:50	21:13	21:10	20:36	19:45	18:54	36 16:46 (1) 17:16	51 15:51 (1) 17:09
18 08:01	15:31 (1) 07:30	15:29 (1) 07:45	06:54	06:16	06:03	06:18	06:48	07:20	07:52	16:07 (1) 07:29	15:01 (1) 07:58	
18 17:35	37 16:08 (1) 18:14	53	16:22 (1) 19:47	20:19	20:51	21:14	21:09	20:35	19:43	18:53	40 16:47 (1) 17:16	49 15:50 (1) 17:09
19 08:00	15:29 (1) 07:28	15:30 (1) 07:44	06:53	06:15	06:03	06:19	06:49	07:21	07:53	16:06 (1) 07:30	15:02 (1) 07:59	
19 17:36	40 16:09 (1) 18:15	52	16:22 (1) 19:48	20:20	20:52	21:14	21:08	20:34	19:41	18:51	43 16:49 (1) 17:19	
20 08:00	15:29 (1) 07:27	15:32 (1) 07:42	06:51	06:14	06:03	06:20	06:50	07:22	07:54	16:04 (1) 07:31	15:03 (1) 08:00	
20 17:38	42 16:11 (1) 18:16	49	16:21 (1) 19:49	20:22	20:53	21:14	21:08	20:32	19:39	18:50	46 16:50 (1) 17:14	45 15:48 (1) 17:10
21 07:59	45 15:28 (1) 07:25	15:32 (1) 07:40	06:50	06:13	06:03	06:21	06:51	07:23	07:55	16:02 (1) 07:33	15:04 (1) 08:00	
21 17:39	44 16:12 (1) 18:18	48	16:20 (1) 19:50	20:23	20:54	21:14	21:07	20:31	19:38	18:48	48 16:50 (1) 17:13	44 15:48 (1) 17:10
22 07:58	45 15:28 (1) 07:24	15:34 (1) 07:39	06:48	06:13	06:04	06:22	06:53	07:24	07:57	16:01 (1) 07:34	15:05 (1) 08:01	
22 17:40	45 16:13 (1) 18:19	45	16:19 (1) 19:51	20:24	20:55	21:15	21:06	20:29	19:36	18:47	50 16:51 (1) 17:13	42 15:47 (1) 17:11
23 07:58	45 15:28 (1) 07:22	15:35 (1) 07:37	06:47	06:12	06:04	06:23	06:54	07:25	07:58	15:59 (1) 07:35	15:06 (1) 08:01	
23 17:41	47 16:15 (1) 18:20	42	16:17 (1) 19:52	20:25	20:56	21:15	21:05	20:28	19:34	18:45	52 16:51 (1) 17:12	40 15:46 (1) 17:11
24 07:57	47 15:27 (1) 07:21	15:37 (1) 07:35	06:45	06:11	06:04	06:24	06:55	07:26	07:59	15:59 (1) 07:36	15:08 (1) 08:02	
24 17:43	49 16:16 (1) 18:21	39	16:16 (1) 19:53	20:26	20:57	21:15	21:04	20:26	19:32	18:44	54 16:53 (1) 17:12	37 15:45 (1) 17:12
25 07:56	45 15:26 (1) 07:19	15:39 (1) 07:34	06:44	06:10	06:04	06:25	06:56	07:27	08:00	15:58 (1) 07:37	15:09 (1) 08:02	
25 17:44	51 16:17 (1) 18:22	35	16:14 (1) 19:54	20:27	20:58	21:15	21:04	20:25	19:31	18:43	55 16:53 (1) 17:11	35 15:44 (1) 17:12
26 07:55	45 15:26 (1) 07:18	15:42 (1) 07:32	06:42	06:10	06:05	06:26	06:57	07:28	08:01	15:57 (1) 07:38	15:11 (1) 08:02	
26 17:45	52 16:18 (1) 18:24	30	16:12 (1) 19:55	20:28	20:59	21:15	21:03	20:23	19:29	18:41	56 16:53 (1) 17:11	33 15:44 (1) 17:13
27 07:54	45 15:25 (1) 07:16	15:44 (1) 07:30	06:41	06:09	06:05	06:26	06:58	07:29	08:02	15:56 (1) 07:39	15:13 (1) 08:03	
27 17:46	53 16:18 (1) 18:25	25	16:09 (1) 19:57	20:29	21:00	21:15	21:02	20:21	19:27	18:40	57 16:53 (1) 17:10	30 15:43 (1) 17:14
28 07:54	45 15:25 (1) 07:15	15:48 (1) 07:28	06:39	06:08	06:05	06:27	06:59	07:30	08:04	15:56 (1) 07:41	15:14 (1) 08:03	
28 17:47	54 16:19 (1) 18:26											

Project:
Pettisville



Printed/Page
8/28/2010 7:07 PM / 8

Licensed user:
Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E
US-44094 Kirtland, Ohio
4717
AAron Godwin / AAron@ConserveFirst.com
Calculated:
8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar

Shadow receptor: F - Shadow Receptor: 30.0 × 30.0 Azimuth: -180.0° Slope: 90.0° (9)

Assumptions for shadow calculations

Maximum distance for influence
2,000 m
Minimum sun height over horizon for influence
3 °
Day step for calculation
1 days
Time step for calculation
1 minutes

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Operational time

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

 Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June				
1	08:04 08:04 08:04 08:04 08:04 08:04 08:04	07:50 07:53 07:54 07:48 07:48 07:44 07:44	07:13 18:27 18:28 07:10 07:10 07:04 07:04	07:22 20:01 20:02 07:18 07:18 07:12 07:12	17:40 (1) 18:27 (1) 18:31 (1) 17:30 (1) 18:34 (1) 17:27 (1) 18:38 (1)	06:35 20:33 20:35 06:33 06:36 06:31 20:37	16:36 (1) 19:10 (1) 19:11 (1) 19:12 (1) 19:12 (1) 16:31 (1) 19:12 (1)	06:06 21:04 21:04 21:05 21:05 06:05 21:06	16:12 (1) 19:35 (1) 19:36 (1) 19:38 (1) 19:38 (1) 16:13 (1) 19:37 (1)	
2	17:18 17:19 17:20 17:21 17:22 17:23 17:24	17:53 17:54 17:56 17:58 17:59 18:00 18:01	18:27 18:28 18:31 18:32 18:33 18:34 19:35	47 56 71 77 82 87 91	154 157 161 164 166 169 171	19:10 (1) 17:35 (1) 17:23 (1) 18:40 (1) 18:42 (1) 18:46 (1) 18:46 (1)	06:34 06:34 06:30 20:38 20:39 20:40 20:42	16:34 (1) 16:34 (1) 16:30 (1) 19:14 (1) 19:15 (1) 19:16 (1) 19:17 (1)	06:06 06:06 06:05 21:07 21:07 21:08 21:09	16:13 (1) 16:13 (1) 16:13 (1) 19:38 (1) 19:38 (1) 19:38 (1) 19:39 (1)
3	08:04 08:04 08:04 08:04 08:04 08:04 08:04	07:48 07:48 07:48 07:48 07:48 07:48 07:48	07:10 07:10 07:10 07:10 07:10 07:10 07:10	56 77 71 82 87 91 91	157 164 161 166 169 171 171	19:11 (1) 19:11 (1) 19:12 (1) 19:12 (1) 19:12 (1) 19:12 (1) 19:12 (1)	21:04 21:04 21:06 21:05 21:05 21:08 21:09	203 203 204 204 205 205 206	19:36 (1) 19:36 (1) 19:38 (1) 19:38 (1) 19:38 (1) 19:38 (1) 19:39 (1)	
4	17:19 17:20 17:21 17:22 17:23 17:24 17:25	17:55 17:56 17:58 17:59 18:00 18:01 18:03	18:30 18:31 18:32 18:33 18:34 19:35 19:37	64 71 77 82 87 91 96	159 161 164 166 169 171 173	19:12 (1) 19:12 (1) 19:12 (1) 19:12 (1) 19:12 (1) 19:12 (1) 19:13 (1)	21:05 21:05 21:05 21:05 21:08 21:08 21:09	204 204 205 205 205 207 206	19:38 (1) 19:38 (1) 19:38 (1) 19:38 (1) 19:38 (1) 19:41 (1) 19:40 (1)	
5	08:04 08:04 08:04 08:04 08:04 08:04 08:04	07:46 07:46 07:46 07:46 07:46 07:46 07:46	07:07 07:07 07:07 07:07 07:07 07:07 07:07	77 82 87 91 91 91 91	164 166 169 171 171 171 171	19:13 (1) 19:14 (1) 19:14 (1) 19:14 (1) 19:14 (1) 19:14 (1) 19:14 (1)	21:07 21:07 21:07 21:07 21:09 21:09 21:09	205 205 205 205 206 206 206	19:38 (1) 19:38 (1) 19:38 (1) 19:38 (1) 19:39 (1) 19:39 (1) 19:39 (1)	
6	17:21 17:22 17:23 17:24 17:25 17:26 17:27	17:58 17:59 17:59 18:00 18:03 18:04 18:05	18:32 18:33 18:33 19:00 19:37 19:38 19:39	77 82 87 91 96 99 103	164 166 169 171 173 180 192	19:14 (1) 19:15 (1) 19:15 (1) 19:16 (1) 19:18 (1) 19:18 (1) 19:19 (1)	21:07 21:07 21:07 21:08 21:10 21:10 21:10	205 205 205 205 207 207 206	19:38 (1) 19:38 (1) 19:38 (1) 19:38 (1) 19:41 (1) 19:41 (1) 19:40 (1)	
7	08:04 08:04 08:04 08:04 08:04 08:04 08:04	07:44 07:44 07:44 07:44 07:44 07:44 07:44	07:04 07:04 07:04 07:04 07:04 07:04 07:04	96 100 104 108 112 116 120	165 166 169 170 172 175 178	19:15 (1) 19:16 (1) 19:16 (1) 19:17 (1) 19:17 (1) 19:18 (1) 19:19 (1)	21:07 21:07 21:07 21:08 21:10 21:12 21:10	206 206 206 206 207 207 206	19:38 (1) 19:38 (1) 19:38 (1) 19:38 (1) 19:41 (1) 19:41 (1) 19:40 (1)	
8	17:26 17:27 17:28 17:29 17:30 17:31 17:32	17:59 18:00 18:01 18:02 18:03 18:04 18:05	18:33 18:34 19:35 19:36 19:41 19:42 19:43	104 108 112 116 120 124 128	166 167 169 170 172 175 178	19:16 (1) 19:17 (1) 19:17 (1) 19:18 (1) 19:18 (1) 19:19 (1) 19:19 (1)	21:07 21:07 21:08 21:09 21:11 21:12 21:10	207 207 207 207 207 207 206	19:41 (1) 19:41 (1) 19:41 (1) 19:41 (1) 19:41 (1) 19:42 (1) 19:40 (1)	
9	08:04 08:04 08:04 08:04 08:04 08:04 08:04	07:41 07:41 07:41 07:41 07:41 07:41 07:41	08:00 08:00 08:00 08:00 08:00 08:00 08:00	116 120 124 128 132 136 140	167 168 169 170 171 172 173	19:17 (1) 19:18 (1) 19:18 (1) 19:19 (1) 19:19 (1) 19:20 (1) 19:20 (1)	21:07 21:07 21:08 21:09 21:11 21:12 21:11	206 206 206 206 207 207 207	19:39 (1) 19:39 (1) 19:39 (1) 19:39 (1) 19:41 (1) 19:41 (1) 19:41 (1)	
10	17:28 17:29 17:30 17:31 17:32 17:33 17:34	17:59 18:00 18:01 18:02 18:03 18:04 18:05	18:33 18:34 19:41 19:42 19:44 19:45 19:46	120 124 128 132 136 140 144	168 169 170 171 172 173 175	19:18 (1) 19:19 (1) 19:19 (1) 19:20 (1) 19:20 (1) 19:21 (1) 19:21 (1)	21:07 21:07 21:08 21:09 21:11 21:12 21:11	206 206 206 206 207 207 207	19:40 (1) 19:40 (1) 19:40 (1) 19:41 (1) 19:41 (1) 19:41 (1) 19:41 (1)	
11	08:03 08:03 08:03 08:03 08:03 08:03 08:03	07:39 07:39 07:39 07:39 07:39 07:39 07:39	07:57 07:57 07:57 07:57 07:57 07:57 07:57	132 136 140 144 148 152 156	168 169 170 171 172 173 175	19:22 (1) 19:23 (1) 19:23 (1) 19:24 (1) 19:24 (1) 19:25 (1) 19:25 (1)	21:12 21:12 21:12 21:13 21:13 21:14 21:14	207 207 207 207 207 207 207	19:41 (1) 19:41 (1) 19:41 (1) 19:42 (1) 19:42 (1) 19:42 (1) 19:42 (1)	
12	17:30 17:31 17:32 17:33 17:34 17:35 17:36	18:02 18:02 18:02 18:02 18:02 18:02 18:02	18:02 18:02 18:02 18:02 18:02 18:02 18:02	140 144 148 152 156 160 164	171 172 173 174 175 176 177	19:23 (1) 19:24 (1) 19:24 (1) 19:25 (1) 19:25 (1) 19:26 (1) 19:26 (1)	21:12 21:12 21:12 21:13 21:13 21:14 21:14	207 207 207 207 207 207 207	19:40 (1) 19:40 (1) 19:40 (1) 19:41 (1) 19:41 (1) 19:42 (1) 19:42 (1)	
13	08:03 08:03 08:03 08:03 08:03 08:03 08:03	07:32 07:32 07:32 07:32 07:32 07:32 07:32	07:55 07:55 07:55 07:55 07:55 07:55 07:55	150 154 158 162 166 170 174	172 173 174 175 176 177 178	19:24 (1) 19:25 (1) 19:25 (1) 19:26 (1) 19:26 (1) 19:27 (1) 19:27 (1)	21:11 21:11 21:12 21:12 21:13 21:13 21:14	207 207 207 207 207 207 207	19:41 (1) 19:41 (1) 19:41 (1) 19:42 (1) 19:42 (1) 19:42 (1) 19:42 (1)	
14	17:34 17:35 17:36 17:37 17:38 17:39 17:40	18:04 18:04 18:04 18:04 18:04 18:04 18:04	19:42 19:43 19:44 19:45 19:46 19:47 19:48	160 164 168 172 176 180 184	173 174 175 176 177 178 179	19:25 (1) 19:26 (1) 19:26 (1) 19:27 (1) 19:27 (1) 19:28 (1) 19:28 (1)	21:11 21:11 21:12 21:12 21:13 21:13 21:14	207 207 207 207 207 207 207	19:41 (1) 19:41 (1) 19:41 (1) 19:42 (1) 19:42 (1) 19:42 (1) 19:42 (1)	
15	08:02 08:02 08:02 08:02 08:02 08:02 08:02	07:34 07:34 07:34 07:34 07:34 07:34 07:34	07:51 07:51 07:51 07:51 07:51 07:51 07:51	164 168 172 176 180 184 188	174 175 176 177 178 179 180	19:26 (1) 19:27 (1) 19:27 (1) 19:28 (1) 19:28 (1) 19:29 (1) 19:29 (1)	21:11 21:11 21:12 21:12 21:13 21:13 21:14	207 207 207 207 207 207 207	19:42 (1) 19:42 (1) 19:42 (1) 19:43 (1) 19:43 (1) 19:45 (1) 19:45 (1)	
16	17:32 17:33 17:34 17:35 17:36 17:37 17:38	18:03 18:03 18:03 18:03 18:03 18:03 18:03	19:49 19:49 19:49 19:49 19:49 19:49 19:49	166 170 174 178 182 186 190	175 176 177 178 179 180 181	19:27 (1) 19:28 (1) 19:28 (1) 19:29 (1) 19:29 (1) 19:30 (1) 19:30 (1)	21:11 21:11 21:12 21:12 21:13 21:13 21:14	207 207 207 207 207 207 207	19:42 (1) 19:42 (1) 19:42 (1) 19:43 (1) 19:43 (1) 19:44 (1) 19:44 (1)	
17	08:01 08:01 08:01 08:01 08:01 08:01 08:01	07:31 07:31 07:31 07:31 07:31 07:31 07:31	07:47 07:47 07:47 07:47 07:47 07:47 07:47	166 170 174 178 182 186 190	176 177 178 179 180 181 182	19:28 (1) 19:29 (1) 19:29 (1) 19:30 (1) 19:30 (1) 19:31 (1) 19:31 (1)	21:11 21:11 21:12 21:12 21:13 21:13 21:14	207 207 207 207 207 207 207	19:41 (1) 19:41 (1) 19:41 (1) 19:42 (1) 19:42 (1) 19:42 (1) 19:42 (1)	
18	17:39 17:40 17:41 17:42 17:43 17:44 17:45	18:05 18:05 18:05 18:05 18:05 18:05 18:05	19:49 19:49 19:49 19:49 19:49 19:49 19:49	168 172 176 180 184 188 192	177 178 179 180 181 182 183	19:30 (1) 19:31 (1) 19:31 (1) 19:32 (1) 19:32 (1) 19:33 (1) 19:33 (1)	21:11 21:11 21:12 21:12 21:13 21:13 21:14	208 208 208 208 208 208 208	19:44 (1) 19:44 (1) 19:44 (1) 19:45 (1) 19:45 (1) 19:45 (1) 19:45 (1)	
19	08:00 08:00 08:00 08:00 08:00 08:00 08:00	07:28 07:28 07:28 07:28 07:28 07:28 07:28	19:47 19:47 19:47 19:47 19:47 19:47 19:47	165 169 173 177 181 185 189	175 176 177 178 179 180 181	19:31 (1) 19:31 (1) 19:31 (1) 19:32 (1) 19:32 (1) 19:33 (1) 19:33 (1)	21:11 21:11 21:12 21:12 21:13 21:13 21:14	208 208 208 208 208 208 208	19:44 (1) 19:44 (1) 19:44 (1) 19:45 (1) 19:45 (1) 19:45 (1) 19:45 (1)	
20	17:41 17:42 17:43 17:44 17:45 17:46 17:47	18:20 18:20 18:21 18:21 18:21 18:21 18:21	19:52 19:52 19:53 19:53 19:53 19:53 19:53	165 169 173 177 181 185 189	181 182 183 184 185 186 187	19:32 (1) 19:32 (1) 19:32 (1) 19:32 (1) 19:32 (1) 19:33 (1) 19:33 (1)	21:11 21:11 21:12 21:12 21:13 21:13 21:14	208 208 208 208 208 208 208	19:44 (1) 19:44 (1) 19:44 (1) 19:45 (1) 19:45 (1) 19:45 (1) 19:	

Project:
Pettisville

Printed/Page
8/28/2010 7:07 PM / 9

Licensed user:
Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E
US-44094 Kirtland, Ohio
4717
AAron Godwin / AAron@ConserveFirst.com
Calculated:
8/28/2010 7:06 PM/2.7.473



SHADOW - Calendar

Shadow receptor: F - Shadow Receptor: 30.0 × 30.0 Azimuth: -180.0° Slope: 90.0° (9)

Assumptions for shadow calculations

Maximum distance for influence
2,000 m
Minimum sun height over horizon for influence
3 °
Day step for calculation
1 days
Time step for calculation
1 minutes

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Operational time

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

 Idle start wind speed: Cut in wind speed from power curve

	July	August	September	October	November	December	
1	06:07	16:19 (1) 06:31	16:32 (1) 07:03	17:07 (1) 07:33	07:08	07:44	
	21:15	206 19:45 (1) 20:57	177 19:29 (1) 20:13	103 18:50 (1) 19:20	17:33	17:09	
2	06:07	16:18 (1) 06:32	16:33 (1) 07:04	17:09 (1) 07:34	07:10	07:45	
	21:15	207 19:45 (1) 20:56	176 19:29 (1) 20:12	99 18:48 (1) 19:19	17:32	17:08	
3	06:08	16:19 (1) 06:33	16:34 (1) 07:05	17:10 (1) 07:36	07:11	07:46	
	21:15	206 19:45 (1) 20:55	174 19:28 (1) 20:10	96 18:46 (1) 19:17	17:31	17:08	
4	06:08	16:19 (1) 06:34	16:35 (1) 07:06	17:12 (1) 07:37	07:12	07:47	
	21:15	206 19:45 (1) 20:53	172 19:27 (1) 20:08	91 18:43 (1) 19:15	17:30	17:08	
5	06:09	16:19 (1) 06:35	16:36 (1) 07:07	17:14 (1) 07:38	07:13	07:48	
	21:15	206 19:45 (1) 20:52	170 19:26 (1) 20:07	87 18:41 (1) 19:14	17:28	17:08	
6	06:10	16:19 (1) 06:36	16:38 (1) 07:08	17:16 (1) 07:39	07:14	07:49	
	21:15	205 19:44 (1) 20:51	167 19:25 (1) 20:05	82 18:38 (1) 19:12	17:27	17:08	
7	06:10	16:19 (1) 06:37	16:39 (1) 07:09	17:18 (1) 07:40	07:16	07:50	
	21:14	205 19:44 (1) 20:50	165 19:24 (1) 20:03	77 18:35 (1) 19:10	17:26	17:07	
8	06:11	16:20 (1) 06:38	16:40 (1) 07:10	17:21 (1) 07:41	07:17	07:51	
	21:14	204 19:44 (1) 20:49	163 19:23 (1) 20:02	71 18:32 (1) 19:09	17:25	17:07	
9	06:12	16:20 (1) 06:39	16:41 (1) 07:11	17:24 (1) 07:42	07:18	07:52	
	21:14	203 19:43 (1) 20:47	161 19:22 (1) 20:00	64 18:28 (1) 19:07	17:24	17:07	
10	06:12	16:20 (1) 06:40	16:42 (1) 07:12	17:28 (1) 07:43	07:19	07:52	
	21:13	203 19:43 (1) 20:46	159 19:21 (1) 19:57	56 18:24 (1) 19:05	17:23	17:07	
11	06:13	16:21 (1) 06:41	16:43 (1) 07:13	17:32 (1) 07:44	07:21	07:53	
	21:13	202 19:43 (1) 20:45	157 19:20 (1) 19:55	47 18:19 (1) 19:04	17:22	17:07	
12	06:14	16:20 (1) 06:42	16:45 (1) 07:14	17:37 (1) 07:45	07:22	07:54	
	21:12	202 19:42 (1) 20:43	154 19:19 (1) 19:53	36 18:13 (1) 19:02	17:21	17:08	
13	06:14	16:21 (1) 06:43	16:46 (1) 07:15	17:46 (1) 07:46	07:23	07:55	
	21:12	201 19:42 (1) 20:42	152 19:18 (1) 19:51	18 18:04 (1) 19:01	17:20	17:08	
14	06:15	16:21 (1) 06:44	16:47 (1) 07:16	17:47	07:24	07:56	
	21:11	201 19:42 (1) 20:41	149 19:16 (1) 19:50	18:59	17:19	17:08	
15	06:16	16:21 (1) 06:45	16:48 (1) 07:17	17:49	07:25	07:56	
	21:11	200 19:41 (1) 20:39	147 19:15 (1) 19:48	18:57	17:18	17:08	
16	06:17	16:21 (1) 06:46	16:49 (1) 07:18	17:50	07:27	07:57	
	21:10	200 19:41 (1) 20:38	145 19:14 (1) 19:46	18:56	17:17	17:08	
17	06:18	16:22 (1) 06:47	16:51 (1) 07:19	17:51	07:28	07:58	
	21:10	198 19:40 (1) 20:36	142 19:13 (1) 19:45	18:54	17:16	17:09	
18	06:18	16:22 (1) 06:48	16:52 (1) 07:20	17:52	07:29	07:58	
	21:09	198 19:40 (1) 20:35	140 19:12 (1) 19:43	18:53	17:16	17:09	
19	06:19	16:23 (1) 06:49	16:53 (1) 07:21	17:53	07:30	07:59	
	21:08	197 19:40 (1) 20:34	137 19:10 (1) 19:41	18:51	17:15	17:09	
20	06:20	16:23 (1) 06:50	16:54 (1) 07:22	17:54	07:31	08:00	
	21:08	196 19:39 (1) 20:32	135 19:09 (1) 19:39	18:50	17:14	17:10	
21	06:21	16:23 (1) 06:52	16:55 (1) 07:23	17:55	07:33	08:00	
	21:07	195 19:38 (1) 20:31	133 19:08 (1) 19:38	18:48	17:13	17:10	
22	06:22	16:23 (1) 06:53	16:56 (1) 07:24	17:57	07:34	08:01	
	21:06	194 19:37 (1) 20:29	131 19:07 (1) 19:36	18:47	17:13	17:11	
23	06:23	16:24 (1) 06:54	16:58 (1) 07:25	17:58	07:35	08:01	
	21:05	193 19:37 (1) 20:28	127 19:05 (1) 19:34	18:45	17:12	17:11	
24	06:24	16:25 (1) 06:55	16:59 (1) 07:26	17:59	07:36	08:02	
	21:04	191 19:36 (1) 20:26	125 19:04 (1) 19:32	18:44	17:12	17:12	
25	06:25	16:25 (1) 06:56	17:00 (1) 07:27	18:00	07:37	08:02	
	21:04	191 19:36 (1) 20:25	123 19:03 (1) 19:31	18:43	17:11	17:12	
26	06:26	16:26 (1) 06:57	17:01 (1) 07:28	18:01	07:38	08:02	
	21:03	189 19:35 (1) 20:23	120 19:01 (1) 19:29	18:41	17:11	17:13	
27	06:26	16:27 (1) 06:58	17:02 (1) 07:29	18:02	07:39	08:03	
	21:02	187 19:34 (1) 20:21	118 19:00 (1) 19:27	18:40	17:10	17:14	
28	06:27	16:28 (1) 06:59	17:04 (1) 07:30	18:04	07:41	08:03	
	21:01	186 19:34 (1) 20:20	114 18:58 (1) 19:26	18:38	17:10	17:14	
29	06:28	16:29 (1) 07:00	17:05 (1) 07:31	18:05	07:42	08:03	
	21:00	184 19:33 (1) 20:18	112 18:57 (1) 19:24	18:37	17:09	17:15	
30	06:29	16:29 (1) 07:01	17:05 (1) 07:32	18:06	07:43	08:04	
	20:59	182 19:31 (1) 20:17	109 18:54 (1) 19:22	18:36	17:09	17:16	
31	06:30	16:30 (1) 07:02	17:06 (1)	18:07	08:04		
	20:58	180 19:30 (1) 20:15	106 18:52 (1)	18:34	17:17		
			375	344	297	286	
	Potential sun hours	461	429				
Total, worst case		6118	4460	927			
Sun reduction		0.69	0.65	0.55			
Oper. time red.		0.87	0.87	0.87			
Wind dir. red.		0.65	0.65	0.65			
Total reduction		0.39	0.37	0.31			
Total, real		2379	1642	289			

Table layout: For each day in each month the following matrix apply

Day in month	Sun rise (hh:mm)	Sun set (hh:mm)	Minutes with flicker	First time (hh:mm) with flicker	(WTG causing flicker first time)
				Last time (hh:mm) with flicker	(WTG causing flicker last time)

Project:

Pettisville



Printed/Page

8/28/2010 7:07 PM / 10

Licensed user:

Conserve First LLC, d/b/a The Renaissance Group, Renewables
 8281 Euclid Chardon Road, Suite E
 US-44094 Kirtland, Ohio
 4717

AAron Godwin / AAron@ConserveFirst.com

Calculated:

8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar**Shadow receptor: G - Shadow Receptor: 30.0 × 30.0 Azimuth: -180.0° Slope: 90.0° (10)****Assumptions for shadow calculations**

Maximum distance for influence

2,000 m

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Minimum sun height over horizon for influence

3 °

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Day step for calculation

1 days

Operational time

Time step for calculation

1 minutes

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

January	February	March	April	May	June	July	August	September	October	November	December
1 08:04 07:50 07:13 07:22 06:35 07:50 (1) 06:06 07:27 (1) 06:07 07:31 (1) 06:31 07:46 (1) 07:03 07:33 07:08 07:44											
1 17:18 17:53 18:27 20:01 20:33 08:55 (1) 21:04 09:34 (1) 21:15 135 09:46 (1) 20:57 94 09:20 (1) 20:13 19:20 17:33 17:09											
2 08:04 07:49 07:12 07:20 06:34 07:49 (1) 06:06 07:27 (1) 06:07 07:31 (1) 06:32 07:47 (1) 07:04 07:34 07:10 07:45											
3 08:04 07:48 07:10 07:18 06:33 07:47 (1) 06:05 07:26 (1) 06:08 07:32 (1) 06:33 07:48 (1) 07:05 07:36 07:11 07:46											
4 08:04 07:47 07:09 07:17 06:31 07:45 (1) 06:05 07:27 (1) 06:08 07:32 (1) 06:34 07:49 (1) 07:06 07:37 07:12 07:47											
17:20 17:56 18:31 20:04 20:37 08:59 (1) 21:06 09:36 (1) 21:15 133 09:45 (1) 20:53 87 09:16 (1) 20:08 19:15 17:30 17:08											
5 08:04 07:46 07:07 07:15 06:30 07:44 (1) 06:05 07:27 (1) 06:09 07:32 (1) 06:35 07:50 (1) 07:07 07:38 07:13 07:48											
17:21 17:58 18:32 20:05 20:38 09:00 (1) 21:07 131 09:38 (1) 21:15 133 09:45 (1) 20:52 84 09:14 (1) 20:07 19:14 17:28 17:08											
6 08:04 07:45 07:05 07:13 06:29 07:42 (1) 06:04 07:26 (1) 06:10 07:32 (1) 06:36 07:51 (1) 07:08 07:39 07:14 07:49											
17:22 17:59 18:33 20:06 20:39 09:02 (1) 21:07 132 09:38 (1) 21:15 132 09:44 (1) 20:51 82 09:13 (1) 20:05 19:12 17:27 17:08											
7 08:04 07:44 07:04 07:12 06:28 07:41 (1) 06:04 07:26 (1) 06:10 07:33 (1) 06:37 07:53 (1) 07:09 07:40 07:16 07:50											
17:23 18:00 18:34 20:07 20:40 09:04 (1) 21:08 133 09:39 (1) 21:14 131 09:44 (1) 20:50 78 09:11 (1) 20:03 19:10 17:26 17:07											
8 08:04 07:42 08:02 07:10 06:27 07:40 (1) 06:04 07:27 (1) 06:11 07:34 (1) 06:38 07:54 (1) 07:10 07:41 07:17 07:51											
17:24 18:01 19:35 20:09 20:41 09:05 (1) 21:09 133 09:40 (1) 21:14 130 09:44 (1) 20:49 76 09:10 (1) 20:02 19:09 17:25 17:07											
9 08:04 07:41 08:00 07:08 06:25 07:39 (1) 06:03 07:27 (1) 06:12 07:33 (1) 06:39 07:55 (1) 07:11 07:42 07:18 07:52											
17:25 18:03 19:37 20:10 20:42 09:07 (1) 21:09 134 09:41 (1) 21:14 130 09:43 (1) 20:47 73 09:08 (1) 20:00 19:07 17:24 17:07											
10 08:04 07:40 07:59 07:07 06:24 07:38 (1) 06:03 07:27 (1) 06:12 07:34 (1) 06:40 07:56 (1) 07:12 07:43 07:19 07:52											
17:26 18:04 19:38 20:11 20:43 09:08 (1) 21:10 134 09:41 (1) 21:13 129 09:43 (1) 20:46 71 09:07 (1) 19:57 19:05 17:23 17:07											
11 08:03 07:39 07:57 07:05 06:23 07:37 (1) 06:03 07:26 (1) 06:13 07:35 (1) 06:41 07:58 (1) 07:13 07:44 07:21 07:53											
17:27 18:05 19:39 20:12 20:44 09:09 (1) 21:10 135 09:41 (1) 21:13 127 09:42 (1) 20:45 67 09:05 (1) 19:55 19:04 17:22 17:07											
12 08:03 07:38 07:56 07:04 06:22 07:36 (1) 06:03 07:26 (1) 06:14 07:35 (1) 06:42 07:59 (1) 07:14 07:45 07:22 07:54											
17:28 18:07 19:40 20:13 20:45 09:11 (1) 21:11 136 09:42 (1) 21:12 126 09:41 (1) 20:43 64 09:03 (1) 19:53 19:02 17:21 17:08											
13 08:03 07:36 07:54 07:02 06:21 07:36 (1) 06:03 07:27 (1) 06:14 07:35 (1) 06:43 08:01 (1) 07:15 07:46 07:23 07:55											
17:30 18:08 19:41 20:14 20:46 09:12 (1) 21:11 135 09:42 (1) 21:12 125 09:40 (1) 20:42 61 09:02 (1) 19:51 19:01 17:20 17:08											
14 08:02 07:35 07:52 07:00 06:20 07:35 (1) 06:03 07:27 (1) 06:15 07:36 (1) 06:44 08:02 (1) 07:16 07:47 07:24 07:56											
17:31 18:09 19:42 20:15 20:47 09:13 (1) 21:12 136 09:43 (1) 21:11 124 09:40 (1) 20:41 58 09:00 (1) 19:50 18:59 17:19 17:08											
15 08:02 07:34 07:51 06:59 06:19 07:34 (1) 06:03 07:27 (1) 06:16 07:36 (1) 06:45 08:04 (1) 07:17 07:49 07:25 07:56											
17:32 18:10 19:43 20:16 20:48 101 09:15 (1) 21:12 137 09:44 (1) 21:11 122 09:38 (1) 20:39 54 08:58 (1) 19:48 18:57 17:18 17:08											
16 08:02 07:32 07:49 06:57 06:18 07:33 (1) 06:03 07:27 (1) 06:17 07:36 (1) 06:46 08:06 (1) 07:18 07:50 07:27 07:57											
17 08:01 07:31 07:47 06:56 06:17 07:32 (1) 06:03 07:27 (1) 06:18 07:37 (1) 06:47 08:09 (1) 07:19 07:51 07:28 07:58											
17:34 18:13 19:46 20:18 20:50 09:17 (1) 21:13 137 09:44 (1) 21:10 120 09:37 (1) 20:36 46 08:55 (1) 19:45 18:54 17:16 17:09											
18 08:01 07:30 07:45 06:54 06:16 07:32 (1) 06:03 07:27 (1) 06:18 07:38 (1) 06:48 08:11 (1) 07:20 07:52 07:29 07:58											
17:35 18:14 19:47 20:19 20:51 106 09:18 (1) 21:14 138 09:45 (1) 21:09 118 09:36 (1) 20:35 42 08:53 (1) 19:43 18:53 17:16 17:09											
19 08:00 07:28 07:44 06:53 06:15 07:31 (1) 06:03 07:28 (1) 06:19 07:38 (1) 06:49 08:14 (1) 07:21 07:53 07:30 07:59											
17:36 18:15 19:48 20:20 20:52 108 09:19 (1) 21:14 138 09:46 (1) 21:08 118 09:36 (1) 20:34 37 08:51 (1) 19:41 18:51 17:15 17:09											
20 08:00 07:27 07:42 06:51 08:25 (1) 06:14 110 09:20 (1) 21:14 138 09:46 (1) 21:08 116 09:35 (1) 20:32 32 08:49 (1) 19:39 18:50 17:14 17:10											
17:37 18:16 19:49 20:22 14 08:39 (1) 06:15 110 09:20 (1) 21:14 138 09:46 (1) 21:08 116 09:35 (1) 20:32 32 08:49 (1) 19:39 18:50 17:14 17:10											
21 07:59 07:25 07:40 06:50 08:19 (1) 06:13 107 09:20 (1) 21:03 138 09:46 (1) 21:08 118 09:36 (1) 20:34 37 08:51 (1) 19:41 18:51 17:15 17:09											
17:39 18:18 19:50 20:23 22 08:41 (1) 06:13 112 09:22 (1) 21:14 138 09:46 (1) 21:07 114 09:33 (1) 20:31 27 08:47 (1) 19:38 18:48 17:13 17:10											
22 07:58 07:24 07:39 06:48 08:14 (1) 06:13 112 09:30 (1) 21:15 138 09:46 (1) 21:06 102 09:28 (1) 20:20 27 08:47 (1) 19:38 18:48 17:13 17:10											
17:40 18:19 19:51 20:24 28 08:42 (1) 06:25 113 09:23 (1) 21:15 138 09:46 (1) 21:06 112 09:32 (1) 20:29 21 08:46 (1) 19:36 18:47 17:13 17:11											
23 07:58 07:22 07:37 06:47 08:10 (1) 06:12 113 09:27 (1) 21:15 137 09:46 (1) 21:05 111 09:31 (1) 20:28 13 08:44 (1) 19:34 18:45 17:12 17:11											
17:41 18:20 19:52 20:25 34 08:44 (1) 06:26 115 09:24 (1) 21:15 138 09:46 (1) 21:05 111 09:31 (1) 20:28 13 08:44 (1) 19:34 18:45 17:12 17:11											
24 07:57 07:21 07:35 06:45 08:07 (1) 06:11 115 09:28 (1) 21:15 138 09:46 (1) 21:04 107 09:29 (1) 20:25 19:31 18:43 17:11 17:12											
17:43 18:21 19:53 20:26 39 08:46 (1) 06:27 117 09:25 (1) 21:15 138 09:47 (1) 21:04 109 09:30 (1) 20:26 107 09:29 (1) 20:25 19:31 18:43 17:11 17:12											
25 07:56 07:19 07:34 06:44 08:04 (1) 06:10 118 09:27 (1) 21:15 137 09:46 (1) 21:04 107 09:29 (1) 20:25 19:31 18:43 17:11 17:12											
17:44 18:22 19:54 20:27 42 08:46 (1) 06:20 118 09:27 (1) 21:15 137 09:46 (1) 21:04 107 09:29 (1) 20:25 19:31 18:43 17:11 17:12											
26 07:55 07:18 07:32 06:42 08:01 (1) 06:10 118 09:28 (1) 21:15 137 09:46 (1) 21:05 107 09:30 (1) 20:26 107 09:28 (1) 20:26 19:32 18:43 17:11 17:12											
17:45 18:24 19:55 20:28 47 08:48 (1) 06:20 119 09:27 (1) 21:15 137 09:46 (1) 21:04 107 09:29 (1) 20:23 19:29 18:41 17:11 17:13											
27 07:55 07:16 07:30 06:41 07:58 (1) 06:09 119 09:27 (1) 21:15 137 09:46 (1) 21:04 107 09:30 (1) 20:23 19:29 18:41											

Project:
Pettisville



Printed/Page
8/28/2010 7:07 PM / 11

Licensed user:
Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E
US-44094 Kirtland, Ohio
4717
AAron Godwin / AAron@ConserveFirst.com
Calculated:
8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar

Shadow receptor: H - Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (11)

Assumptions for shadow calculations

Maximum distance for influence 2,000 m
Minimum sun height over horizon for influence 3 °
Day step for calculation 1 days
Time step for calculation 1 minutes

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Operational time

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

 Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June	July	August	September	October	November	December			
1 08:04	07:50	07:13	07:22	06:35	07:28 (1)	06:06	06:07	06:31	07:39 (1)	07:03	07:33	07:08 07:44			
17:18	17:53	18:27	20:01	20:33	43	08:11 (1)	21:04	20:57	39	08:18 (1)	20:13	19:20	17:33 17:09		
2 08:04	07:49	07:12	07:20	06:34	07:28 (1)	06:06	06:07	06:32	07:39 (1)	07:04	07:34	07:10 07:45			
17:19	17:54	18:28	20:02	20:35	43	08:11 (1)	21:04	21:15	06:35	08:18 (1)	20:12	19:19	17:32 17:08		
3 08:04	07:48	07:10	07:18	06:33	07:28 (1)	06:05	06:08	06:33	07:38 (1)	07:05	07:36	07:11 07:46			
17:20	17:55	18:30	20:03	20:36	43	08:11 (1)	21:05	21:15	06:34	08:19 (1)	20:10	19:17	17:31 17:08		
4 08:04	07:47	07:09	07:17	06:31	07:27 (1)	06:05	06:08	06:34	07:38 (1)	07:06	07:37	07:12 07:47			
17:20	17:56	18:31	20:04	20:37	43	08:10 (1)	21:06	21:15	06:35	08:19 (1)	20:08	19:15	17:30 17:08		
5 08:04	07:46	07:07	07:15	06:30	07:27 (1)	06:05	06:09	06:35	07:38 (1)	07:07	07:38	07:13 07:48			
17:21	17:58	18:32	20:05	20:38	43	08:10 (1)	21:07	21:15	06:35	08:19 (1)	20:07	19:14	17:28 17:08		
6 08:04	07:45	07:05	07:13	06:29	07:28 (1)	06:04	06:10	06:36	07:37 (1)	07:08	07:39	07:14 07:49			
17:22	17:59	18:33	20:06	20:39	42	08:10 (1)	21:07	21:15	06:35	08:20 (1)	20:05	19:12	17:27 17:08		
7 08:04	07:44	07:04	07:12	06:28	07:28 (1)	06:04	06:10	06:37	07:37 (1)	07:09	07:40	07:16 07:50			
17:23	18:00	18:34	20:07	20:40	42	08:10 (1)	21:08	21:14	06:35	08:20 (1)	20:03	19:10	17:26 17:07		
8 08:04	07:42	08:02	07:10	06:27	07:28 (1)	06:04	06:11	06:38	07:37 (1)	07:10	07:41	07:17 07:51			
17:24	18:01	19:35	20:09	20:41	42	08:10 (1)	21:09	21:14	06:35	08:20 (1)	20:02	19:09	17:25 17:07		
9 08:04	07:41	08:00	07:08	06:25	07:28 (1)	06:03	06:12	06:39	07:37 (1)	07:11	07:42	07:18 07:52			
17:25	18:03	19:37	20:10	20:42	41	08:09 (1)	21:09	21:14	06:35	08:20 (1)	20:00	19:07	17:24 17:07		
10 08:04	07:40	07:59	07:07	06:24	07:29 (1)	06:03	06:12	06:40	07:37 (1)	07:12	07:43	07:19 07:52			
17:26	18:04	19:38	20:11	20:43	40	08:09 (1)	21:10	21:13	06:46	08:20 (1)	19:57	19:05	17:23 17:07		
11 08:03	07:39	07:57	07:05	06:23	07:29 (1)	06:03	06:13	06:41	07:37 (1)	07:13	07:44	07:21 07:53			
17:27	18:05	19:39	20:12	20:44	39	08:08 (1)	21:10	21:13	06:45	08:20 (1)	19:55	19:04	17:22 17:07		
12 08:03	07:38	07:56	07:04	06:22	07:30 (1)	06:03	06:14	06:42	07:37 (1)	07:14	07:45	07:22 07:54			
17:28	18:07	19:40	20:13	20:45	38	08:08 (1)	21:11	21:12	06:43	08:19 (1)	19:53	19:02	17:21 17:08		
13 08:03	07:36	07:54	07:02	06:21	07:30 (1)	06:03	06:14	06:43	07:37 (1)	07:15	07:46	07:23 07:55			
17:30	18:08	19:41	20:14	20:46	37	08:07 (1)	21:11	21:12	06:42	08:19 (1)	19:51	19:01	17:20 17:08		
14 08:02	07:35	07:52	07:00	06:20	07:31 (1)	06:03	06:15	06:44	07:37 (1)	07:16	07:47	07:24 07:56			
17:31	18:09	19:42	20:15	20:47	35	08:06 (1)	21:12	21:11	06:41	08:20 (1)	19:57	19:05	17:23 17:07		
15 08:02	07:34	07:51	06:59	06:19	07:31 (1)	06:03	06:16	06:45	07:38 (1)	07:17	07:49	07:25 07:56			
17:32	18:10	19:43	20:16	20:48	35	08:06 (1)	21:12	21:11	06:42	08:18 (1)	19:48	18:57	17:18 17:08		
16 08:02	07:32	07:49	06:57	06:18	07:32 (1)	06:03	06:17	06:46	07:38 (1)	07:18	07:50	07:27 07:57			
17:33	18:12	19:44	20:17	20:49	33	08:05 (1)	21:13	21:10	06:38	08:17 (1)	19:46	18:56	17:17 17:08		
17 08:01	07:31	07:47	06:56	06:17	07:33 (1)	06:03	06:18	06:47	07:38 (1)	07:19	07:51	07:28 07:58			
17:34	18:13	19:46	20:18	20:50	31	08:04 (1)	21:13	21:10	06:36	08:17 (1)	19:45	18:54	17:16 17:09		
18 08:01	07:30	07:45	06:54	07:46 (1)	06:16	07:33 (1)	06:03	06:18	06:48	07:39 (1)	07:20	07:52	07:29 07:58		
17:35	18:14	19:47	20:19	20:51	12	07:58 (1)	20:51	21:09	06:35	08:16 (1)	19:43	18:53	17:16 17:09		
19 08:00	07:28	07:44	06:53	07:43 (1)	06:15	07:34 (1)	06:03	06:19	07:53 (1)	06:49	07:40 (1)	07:21	07:53 07:59		
17:36	18:15	19:48	20:20	20:59	19	08:02 (1)	20:52	28	06:20	07:51 (1)	06:51	07:41 (1)	07:22	07:54 08:00	
20 08:00	07:27	07:42	06:51	07:40 (1)	06:14	07:35 (1)	06:03	06:20	07:51 (1)	06:51	07:45 (1)	07:25	07:55 08:01		
17:38	18:16	19:49	20:22	20:53	23	08:03 (1)	20:53	25	08:00 (1)	21:14	21:08	15	08:06 (1)	20:32	07:32 08:00
21 07:59	07:25	07:40	06:50	07:38 (1)	06:13	07:37 (1)	06:03	06:21	07:49 (1)	06:52	07:42 (1)	07:23	07:55	08:00 08:00	
17:39	18:18	19:50	20:23	20:54	27	08:05 (1)	20:54	28	08:00 (1)	21:15	21:07	18	08:03 (1)	20:34	07:37 08:01
22 07:58	07:24	07:39	06:49	07:36 (1)	06:13	07:38 (1)	06:04	06:22	07:47 (1)	06:53	07:43 (1)	07:24	07:57	08:01 08:01	
17:40	18:19	19:51	20:24	20:55	30	08:06 (1)	20:55	20	07:58 (1)	21:15	21:06	22	08:09 (1)	20:29	07:47 08:01
23 07:58	07:22	07:37	06:47	07:35 (1)	06:12	07:40 (1)	06:04	06:23	07:46 (1)	06:54	07:45 (1)	07:25	07:58	07:35 08:01	
17:41	18:20	19:52	20:25	20:55	33	08:08 (1)	20:56	17	07:57 (1)	21:15	21:05	24	08:10 (1)	20:28	07:28 08:03
24 07:57	07:21	07:35	06:45	07:34 (1)	06:11	07:41 (1)	06:04	06:24	07:45 (1)	06:55	07:47 (1)	07:26	07:59	07:36 08:02	
17:43	18:21	19:53	20:26	20:55	35	08:09 (1)	20:57	13	07:54 (1)	21:15	21:04	27	08:12 (1)	20:26	07:28 08:03
25 07:56	07:19	07:34	06:44	07:32 (1)	06:10	07:45 (1)	06:04	06:25	07:44 (1)	06:56	07:51 (1)	07:27	08:00	07:37 08:02	
17:44	18:22	19:54	20:27	20:57	37	08:09 (1)	20:58	7	07:52 (1)	21:15	21:04	29	08:13 (1)	20:25	07:29 08:03
26 07:55	07:18	07:32	06:42	07:32 (1)	06:10	06:05	06:26	07:44 (1)	06:57	07:45 (1)	07:28	08:01	07:38	08:03 08:03	
17:45	18:24	19:55	20:28	20:58	38	08:10 (1)	20:59	21:15	07:52 (1)	21:15	21:04	30	08:14 (1)	20:23	07:29 08:03
27 07:55	07:16	07:30	06:41	07:30 (1)	06:09	06:05	06:26	07:43 (1)	06:58	07:43 (1)	07:28	08:02	07:39	08:03 08:03	
17:46	18:25	19:57	20:29	20:59	40	08:10 (1)	21:00	21:15	07:52 (1)	21:02	21:02	32	08:15 (1)	20:21	07:29 08:03
28 07:54	07:15	07:29	06:39	07:30 (1)	06:08	06:05	06:27	07:42 (1)	06:59	07:42 (1)	07:30	08:04	07:41	08:03 08:03	
17:48	18:26	19:58	20:30	20:59	40	08:10 (1)	21:00	21:15	07:54 (1)	21:01	21:01	34	08:16 (1)	20:20	07:29 08:03
29 07:53	07:14	07:27	06:38	07:29 (1)	06:08	06:06	06:28	07:42 (1)	07:00	07:42 (1)	07:31	08:05	07:42	08:03 08:03	
17:49	18:23	19:59</													

Project:

Pettisville



Printed/Page

8/28/2010 7:07 PM / 12

Licensed user:

Conserve First LLC, d/b/a The Renaissance Group, Renewables
 8281 Euclid Chardon Road, Suite E
 US-44094 Kirtland, Ohio
 4717

AAron Godwin / AAron@ConserveFirst.com

Calculated:

8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar**Shadow receptor: I - Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (12)****Assumptions for shadow calculations**

Maximum distance for influence

2,000 m

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Minimum sun height over horizon for influence

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	5.77	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Day step for calculation

1 days

Operational time

Time step for calculation

1 minutes

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June	July	August	September	October	November	December				
1 08:04	07:50	07:13	08:20 (1) 07:22	06:35	06:06	06:07	06:31	07:03	07:33	08:52 (1) 07:08	07:44					
17:18	17:53	18:27	45 09:05 (1) 20:01	20:33	21:04	21:15	20:57	20:13	19:20	52 09:44 (1) 17:33	17:09					
2 08:04	07:49	07:12	08:18 (1) 07:20	06:34	06:06	06:07	06:32	07:04	07:34		53 08:51 (1) 07:10	07:45				
17:19	17:54	18:28	47 09:05 (1) 20:02	20:35	21:04	21:15	20:56	20:12	19:19	53 09:44 (1) 17:32	17:08					
3 08:04	07:48	07:10	08:18 (1) 07:18	06:33	06:05	06:08	06:33	07:05	07:36		53 08:51 (1) 07:11	07:46				
17:20	17:55	18:30	48 09:06 (1) 20:03	20:36	21:05	21:15	20:55	20:10	19:17	52 09:43 (1) 17:31	17:08					
4 08:04	07:47	07:09	08:17 (1) 07:17	06:31	06:05	06:08	06:34	07:06	07:37		53 08:51 (1) 07:12	07:47				
17:20	17:56	18:31	49 09:06 (1) 20:04	20:37	21:06	21:15	20:53	20:08	19:15	53 09:44 (1) 17:30	17:08					
5 08:04	07:46	07:07	08:15 (1) 07:15	06:30	06:05	06:09	06:35	07:07	07:38		53 08:51 (1) 07:13	07:48				
17:21	17:58	18:32	51 09:06 (1) 20:05	20:38	21:07	21:15	20:52	20:07	19:14	53 09:44 (1) 17:28	17:08					
6 08:04	07:45	07:05	08:15 (1) 07:13	06:29	06:04	06:10	06:36	07:08	07:39		53 08:51 (1) 07:14	07:49				
17:22	17:59	18:33	52 09:07 (1) 20:06	20:39	21:07	21:15	20:51	20:05	19:12	52 09:43 (1) 17:27	17:08					
7 08:04	07:44	07:04	08:14 (1) 07:12	06:28	06:04	06:10	06:37	07:09	07:40		53 08:51 (1) 07:16	07:50				
17:23	18:00	18:34	53 09:07 (1) 20:07	20:40	21:08	21:14	20:50	20:03	19:10	52 09:43 (1) 17:26	17:07					
8 08:04	07:42	08:02	09:13 (1) 07:10	06:27	06:04	06:11	06:38	07:10	07:41		53 08:51 (1) 07:17	07:51				
17:24	18:01	19:35	53 10:06 (1) 20:09	20:41	21:09	21:14	20:49	20:02	19:09	51 09:42 (1) 17:25	17:07					
9 08:04	07:41	08:00	09:14 (1) 07:08	06:25	06:03	06:12	06:39	07:11	07:42		51 08:51 (1) 07:18	07:52				
17:25	18:03	19:37	53 10:07 (1) 20:10	20:42	21:09	21:14	20:47	20:00	19:07	50 09:41 (1) 17:24	17:07					
10 08:04	07:40	07:59	09:13 (1) 07:07	06:24	06:03	06:12	06:40	07:12	07:43		50 08:51 (1) 07:19	07:52				
17:26	18:04	19:38	53 10:06 (1) 20:11	20:43	21:10	21:13	20:46	19:57	19:05	49 09:40 (1) 17:23	17:07					
11 08:03	07:39	07:57	09:12 (1) 07:05	06:23	06:03	06:13	06:41	07:13	07:44		49 08:52 (1) 07:21	07:53				
17:27	18:05	19:39	53 10:05 (1) 20:12	20:44	21:10	21:13	20:45	19:55	19:04	47 09:39 (1) 17:22	17:07					
12 08:03	07:38	07:56	09:13 (1) 07:04	06:22	06:03	06:14	06:42	07:14	07:45		47 08:52 (1) 07:22	07:54				
17:28	18:07	19:40	52 10:05 (1) 20:13	20:45	21:11	21:12	20:43	19:53	19:02	46 09:38 (1) 17:21	17:08					
13 08:03	07:36	07:54	09:12 (1) 07:02	06:21	06:03	06:14	06:43	07:15	07:46		46 08:54 (1) 07:23	07:55				
17:30	18:08	19:41	52 10:04 (1) 20:14	20:46	21:11	21:12	20:42	19:51	19:01	44 09:38 (1) 17:20	17:08					
14 08:02	07:35	07:52	09:12 (1) 07:00	06:20	06:03	06:15	06:44	07:16	07:47		44 08:54 (1) 07:24	07:56				
17:31	18:09	19:42	51 10:03 (1) 20:15	20:47	21:12	21:11	20:41	19:50	18:59	42 09:36 (1) 17:19	17:08					
15 08:02	07:34	07:51	09:13 (1) 06:59	06:19	06:03	06:16	06:45	07:17	07:49		42 08:55 (1) 07:25	07:56				
17:32	18:10	19:43	50 10:03 (1) 20:16	20:48	21:12	21:11	20:39	19:48	18:57	40 09:35 (1) 17:18	17:08					
16 08:02	07:32	07:49	09:13 (1) 06:57	06:18	06:03	06:17	06:46	07:18	07:50		40 08:57 (1) 07:27	07:57				
17:33	18:12	19:44	49 10:02 (1) 20:17	20:49	21:13	21:10	20:38	19:46	18:56	36 09:33 (1) 17:17	17:08					
17 08:01	07:31	07:47	09:13 (1) 06:56	06:17	06:03	06:18	06:47	07:19	09:14 (1) 07:51		36 08:58 (1) 07:28	07:58				
17:34	18:13	19:46	47 10:00 (1) 20:18	20:50	21:13	21:10	20:36	19:45	14 09:28 (1) 18:54	33 09:31 (1) 17:16	17:09					
18 08:01	07:30	07:45	09:14 (1) 06:54	06:16	06:03	06:18	06:48	07:20	09:10 (1) 07:52		33 09:00 (1) 07:29	07:58				
17:35	18:14	19:47	46 10:00 (1) 20:19	20:51	21:14	21:09	20:35	19:43	22 09:32 (1) 18:53	28 09:28 (1) 17:16	17:09					
19 08:00	07:28	07:44	09:14 (1) 06:53	06:15	06:03	06:19	06:49	07:21	09:07 (1) 07:53		28 09:03 (1) 07:30	07:59				
17:36	18:15	19:48	44 09:58 (1) 20:20	20:52	21:14	21:08	20:34	19:41	27 09:34 (1) 18:51	23 09:26 (1) 17:15	17:09					
20 08:00	07:27	07:42	09:15 (1) 06:51	06:14	06:03	06:20	06:50	07:22	09:05 (1) 07:54		23 09:06 (1) 07:31	08:00				
17:38	18:16	19:49	41 09:56 (1) 20:22	20:53	21:14	21:08	20:32	19:39	31 09:36 (1) 18:50	16 09:22 (1) 17:14	17:10					
21 07:59	07:25	08:40 (1) 07:40	09:16 (1) 06:50	06:13	06:03	06:21	06:52	07:23	09:03 (1) 07:55		16 09:33 07:00	07:33				
17:39	18:18	7 08:47 (1) 19:50	39 09:55 (1) 20:23	20:54	21:15	21:07	20:31	19:38	35 09:38 (1) 18:48		35 17:13 17:10					
22 07:58	07:24	08:34 (1) 07:39	09:17 (1) 06:48	06:13	06:04	06:22	06:53	07:24	09:01 (1) 07:57		09:01 (1) 07:34	08:01				
17:40	18:19	19 08:53 (1) 19:51	36 09:53 (1) 20:24	20:55	21:15	21:06	20:29	19:36	38 09:39 (1) 18:47		38 17:13 17:11					
23 07:58	07:22	30 08:30 (1) 07:37	09:18 (1) 06:47	06:12	06:04	06:23	06:54	07:25	09:09 (1) 07:58		09:09 (1) 07:35	08:01				
17:41	18:20	26 08:56 (1) 19:52	33 09:51 (1) 20:25	20:56	21:15	21:05	20:28	19:34	41 09:40 (1) 18:45		41 17:12 17:11					
24 07:57	07:21	30 08:28 (1) 07:35	09:19 (1) 06:45	06:11	06:04	06:24	06:55	07:26	09:08 (1) 07:59		09:08 (1) 07:36	08:02				
17:43	18:21	30 08:58 (1) 19:53	29 09:48 (1) 20:26	20:57	21:15	21:04	20:26	19:32	43 09:41 (1) 18:44		43 17:12 17:12					
25 07:56	07:19	34 08:26 (1) 07:34	09:22 (1) 06:44	06:10	06:04	06:25	06:56	07:27	09:07 (1) 07:51		09:07 (1) 07:37	08:02				
17:44	18:22	34 09:00 (1) 19:54	23 09:45 (1) 20:27	20:58	21:15	21:04	20:25	19:31	45 09:42 (1) 18:43		45 17:11 17:12					
26 07:55	07:18	34 08:24 (1) 07:32	09:25 (1) 06:42	06:10	06:05	06:26	06:57	07:28	09:06 (1) 08:01		09:06 (1) 07:38	08:03				
17:45	18:24	38 09:02 (1) 19:55	1													

Project:
Pettisville



Printed/Page
8/28/2010 7:07 PM / 13

Licensed user:
Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E
US-44094 Kirtland, Ohio
4717
AAron Godwin / AAron@ConserveFirst.com
Calculated:
8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar

Shadow receptor: J - Shadow Receptor: 1.0 x 1.0 Azimuth: -180.0° Slope: 90.0° (13)

Assumptions for shadow calculations

Maximum distance for influence
2,000 m
Minimum sun height over horizon for influence
3 °
Day step for calculation
1 days
Time step for calculation
1 minutes

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Operational time

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June	July	August	September	October	November	December	
1 08:04	07:50	16:27 (1) 07:13	16:20 (1) 07:22	06:35	06:06	06:07	06:31	07:03	07:33	07:08	15:45 (1) 07:44		
1 17:18	17:53	16 16:43 (1) 18:27	34 16:54 (1) 20:01	20:33	21:04	21:15	20:57	20:13	19:20	17:33	43 16:28 (1) 17:09		
2 08:04	07:49	16:24 (1) 07:12	16:21 (1) 07:20	06:34	06:06	06:07	06:32	07:04	07:34	07:10	15:46 (1) 07:45		
2 17:19	17:54	22 16:46 (1) 18:28	31 16:52 (1) 20:02	20:35	21:04	21:15	20:56	20:12	19:19	17:32	40 16:26 (1) 17:08		
3 08:04	07:48	16:22 (1) 07:10	16:24 (1) 07:18	06:33	06:05	06:08	06:33	07:05	07:36	07:11	15:46 (1) 07:46		
3 17:19	17:55	27 16:49 (1) 18:30	26 16:50 (1) 20:03	20:36	21:05	21:15	20:54	20:10	19:17	17:31	39 16:25 (1) 17:08		
4 08:04	07:47	16:21 (1) 07:09	16:26 (1) 07:17	06:31	06:05	06:08	06:34	07:06	07:37	07:12	15:48 (1) 07:47		
4 17:20	17:56	30 16:51 (1) 18:31	21 16:47 (1) 20:04	20:37	21:06	21:15	20:53	20:08	19:15	17:30	37 16:25 (1) 17:08		
5 08:04	07:46	16:20 (1) 07:07	16:29 (1) 07:15	06:30	06:05	06:09	06:35	07:07	07:38	07:13	15:49 (1) 07:48		
5 17:21	17:58	32 16:52 (1) 18:32	14 16:43 (1) 20:05	20:38	21:07	21:15	20:52	20:07	19:14	17:28	34 16:23 (1) 17:08		
6 08:04	07:45	16:19 (1) 07:05		07:13	06:29	06:04	06:10	06:36	07:08	07:14	15:50 (1) 07:49		
6 17:22	17:59	35 16:54 (1) 18:33		20:06	20:39	21:07	21:15	20:51	20:05	19:12	17:27	32 16:22 (1) 17:08	
7 08:04	07:44	16:18 (1) 07:04		07:12	06:28	06:04	06:10	06:37	07:09	07:16	15:52 (1) 07:50		
7 17:23	18:00	37 16:55 (1) 18:34		20:07	20:40	21:14	20:50	20:03	19:10	17:26	29 16:21 (1) 17:07		
8 08:04	07:42	16:17 (1) 08:02		07:10	06:27	06:04	06:11	06:38	07:10	17:08 (1) 07:17	15:53 (1) 07:51		
8 17:24	18:01	40 16:57 (1) 19:35		20:09	20:41	21:09	20:49	20:02	19:09	8 17:16 (1) 17:25	26 16:19 (1) 17:07		
9 08:04	07:41	16:16 (1) 08:00		07:08	06:25	06:03	06:12	06:39	07:11	17:02 (1) 07:18	15:55 (1) 07:52		
9 17:25	18:03	41 16:57 (1) 19:37		20:10	20:42	21:09	20:47	20:00	19:07	18 17:20 (1) 17:24	22 16:17 (1) 17:07		
10 08:04	07:40	16:15 (1) 07:59		07:07	06:24	06:03	06:12	06:40	07:12	16:59 (1) 07:19	15:58 (1) 07:52		
10 17:26	18:04	43 16:58 (1) 19:38		20:11	20:43	21:10	20:46	19:57	19:05	24 17:23 (1) 17:23	16 16:14 (1) 17:07		
11 08:03	07:39	16:15 (1) 07:57		07:05	06:23	06:13	06:41	07:13	07:44	16:56 (1) 07:20	16:03 (1) 07:53		
11 17:27	18:05	44 16:59 (1) 19:39		20:12	20:44	21:10	20:45	19:55	19:04	28 17:24 (1) 17:22	7 16:10 (1) 17:07		
12 08:03	07:38	16:15 (1) 07:56		07:04	06:22	06:03	06:14	06:42	07:14	16:54 (1) 07:22			
12 17:28	18:06	45 17:00 (1) 19:40		20:13	20:45	21:11	21:12	20:43	19:53	32 17:26 (1) 17:21			
13 08:03	07:36	16:14 (1) 07:54		07:02	06:21	06:03	06:14	06:43	07:15	16:53 (1) 07:23			
13 17:30	18:08	46 17:00 (1) 19:41		20:14	20:46	21:11	21:12	20:42	19:51	35 17:26 (1) 17:20			
14 08:02	07:35	16:14 (1) 07:52		07:00	06:20	06:03	06:15	06:44	07:16	16:51 (1) 07:24			
14 17:31	18:09	46 17:00 (1) 19:42		20:15	20:47	21:12	21:11	20:41	19:50	37 17:28 (1) 17:19			
15 08:02	07:34	16:14 (1) 07:50		06:59	06:19	06:03	06:16	06:45	07:17	16:49 (1) 07:25			
15 17:32	18:10	47 17:01 (1) 19:43		20:16	20:48	21:12	21:11	20:39	19:48	40 17:29 (1) 17:18			
16 08:02	07:32	16:13 (1) 07:49		06:57	06:18	06:03	06:17	06:46	07:18	16:48 (1) 07:27			
16 17:33	18:11	48 17:01 (1) 19:44		20:17	20:49	21:13	21:10	20:38	19:46	42 17:30 (1) 17:17			
17 08:01	07:31	16:13 (1) 07:47		06:56	06:17	06:03	06:18	06:47	07:19	16:47 (1) 07:28			
17 17:34	18:13	48 17:01 (1) 19:46		20:18	20:50	21:13	21:10	20:36	19:45	43 17:30 (1) 17:16			
18 08:01	07:30	16:13 (1) 07:45		06:54	06:16	06:03	06:18	06:48	07:20	16:46 (1) 07:29			
18 17:35	18:14	48 17:01 (1) 19:47		20:19	20:51	21:14	21:09	20:35	19:43	44 17:30 (1) 17:16			
19 08:00	07:28	16:13 (1) 07:44		06:53	06:15	06:03	06:19	06:49	07:21	16:46 (1) 07:30			
19 17:36	18:15	48 17:01 (1) 19:48		20:20	20:52	21:14	21:08	20:34	19:41	45 17:31 (1) 17:15			
20 08:00	07:27	16:14 (1) 07:42		06:51	06:14	06:03	06:20	06:50	07:22	16:45 (1) 07:31			
20 17:38	18:16	47 17:01 (1) 19:49		20:22	20:53	21:14	21:08	20:32	19:39	46 17:31 (1) 17:14			
21 07:59	07:25	16:13 (1) 07:40		06:50	06:13	06:03	06:21	06:51	07:23	16:44 (1) 07:33			
21 17:39	18:18	47 17:00 (1) 19:50		20:23	20:54	21:14	21:07	20:31	19:38	47 17:31 (1) 17:13			
22 07:58	07:24	16:14 (1) 07:39		06:48	06:13	06:04	06:22	06:53	07:24	16:43 (1) 07:34			
22 17:40	18:19	46 17:00 (1) 19:51		20:24	20:55	21:15	21:06	20:29	19:36	48 17:31 (1) 17:13			
23 07:58	07:22	16:14 (1) 07:37		06:47	06:12	06:04	06:23	06:54	07:25	16:43 (1) 07:35			
23 17:41	18:20	45 16:59 (1) 19:52		20:25	20:56	21:15	21:05	20:28	19:34	48 17:31 (1) 17:12			
24 07:57	07:21	16:15 (1) 07:35		06:45	06:11	06:04	06:24	06:55	07:26	16:43 (1) 07:36			
24 17:43	18:21	44 16:59 (1) 19:53		20:26	20:57	21:15	21:04	20:26	19:32	48 17:31 (1) 17:12			
25 07:56	07:19	16:15 (1) 07:34		06:44	06:10	06:04	06:25	06:56	07:27	08:00	16:43 (1) 07:37		
25 17:44	18:22	43 16:58 (1) 19:54		20:27	20:58	21:15	21:04	20:25	19:31	48 17:31 (1) 17:11			
26 07:55	07:18	16:16 (1) 07:32		06:42	06:10	06:05	06:26	06:57	07:28	08:01	16:43 (1) 07:38		
26 17:45	18:24	41 16:57 (1) 19:55		20:28	20:59	21:15	21:03	20:23	19:29	47 17:30 (1) 17:11			
27 07:54	07:16	16:17 (1) 07:30		06:41	06:09	06:05	06:26	06:58	07:29	08:02	16:42 (1) 07:39		
27 17:46	18:25	39 16:56 (1) 19:57		20:29	21:00	21:15	21:02	20:21	19:27	48 17:30 (1) 17:10			
28 07:54	07:15	16:18 (1) 07:28		06:39	06:08	06:05	06:27	06:59	07:30	08:04	16:43 (1) 07:41		
28 17:47	18:26	37 16:55 (1) 19:58		20:30	21:00	21:15	21:01	20:20	19:26	48 17:30 (1) 17:10			
29 07:53		07:27		06:38	06:08	06:06	06:28	07:00	07:31	08:05	16:43 (1) 07:42		
29 17:49		19:59		20:31	21:01	21:15	21:00	20:18	19:24	46 17:29 (1) 17:09			
30 07:52		07:25		06:37	06:07	06:06	06:29	07:01	07:32	08:06	16:43 (1) 07:43		
30 17:50		20:00		20:32	21:02	21:15	20:59	20:17	19:22	45 17:28 (1) 17:09			
31 07:51	16:31 (1)		07:23		06:07	06:30	07:02		08:07	16:45 (1)	08:04		
31 17:51	8 16:39 (1)		20:00		21:03	20:58	20:15		18:34	44 17:29 (1)	17:17		
Potential sun hours	296		297	370	399	449	454	461	429	375	344	297	286
Total, worst case	8		1132		126						958		325
Sun reduction	0.36		0.41		0.41						0.51		0.27
Oper. time red.	0.87		0.87		0.87						0.87		0.87
Wind dir. red.	0.71		0.71		0.71						0.71		0.71
Total reduction	0.23		0.26		0.26						0.32		0.17
Total, real	2		290		32						306		55

Table layout: For each day in each month the following matrix apply

Project:

Pettisville



Printed/Page

8/28/2010 7:07 PM / 14

Licensed user:

Conserve First LLC, d/b/a The Renaissance Group, Renewables
 8281 Euclid Chardon Road, Suite E
 US-44094 Kirtland, Ohio
 4717

AAron Godwin / AAron@ConserveFirst.com

Calculated:

8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar**Shadow receptor: K - Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (14)****Assumptions for shadow calculations**

Maximum distance for influence

2,000 m

Minimum sun height over horizon for influence

3 °

Day step for calculation

1 days

Time step for calculation

1 minutes

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Operational time

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June	July	August	September	October	November	December
1 08:04	07:50	07:13	16:54 (1) 07:22	06:35	06:06	06:07	06:31	07:03	07:33	07:08	07:44	
17:18	17:53	18:27	36 17:30 (1) 20:01	20:33	21:04	21:15	20:57	20:13	19:20	17:33	17:09	
2 08:04	07:49	07:12	16:54 (1) 07:20	06:34	06:06	06:07	06:32	07:04	07:34	07:10	07:45	
17:19	17:54	18:28	35 17:29 (1) 20:02	20:35	21:04	21:15	20:56	20:12	19:19	17:32	17:08	
3 08:04	07:48	07:10	16:55 (1) 07:18	06:33	06:05	06:08	06:33	07:05	07:36	07:11	07:46	
17:19	17:55	18:30	33 17:28 (1) 20:03	20:36	21:05	21:15	20:54	20:10	19:17	17:31	17:08	
4 08:04	07:47	07:09	16:55 (1) 07:17	06:31	06:05	06:08	06:34	07:06	07:37	17:41 (1) 07:12	07:47	
17:20	17:56	18:31	32 17:27 (1) 20:04	20:37	21:06	21:15	20:53	20:08	19:15	14 17:55 (1) 17:30	17:08	
5 08:04	07:46	07:07	16:55 (1) 07:15	06:30	06:05	06:08	06:35	07:07	07:38	17:38 (1) 07:13	07:48	
17:21	17:58	18:32	31 17:26 (1) 20:05	20:38	21:07	21:15	20:52	20:07	19:14	19 17:57 (1) 17:28	17:08	
6 08:04	07:45	07:05	16:57 (1) 07:13	06:29	06:04	06:10	06:36	07:08	07:39	17:35 (1) 07:14	07:49	
17:22	17:59	18:33	28 17:25 (1) 20:06	20:39	21:07	21:15	20:51	20:05	19:12	24 17:59 (1) 17:27	17:07	
7 08:04	07:44	07:04	16:58 (1) 07:12	06:28	06:04	06:10	06:37	07:09	07:40	17:33 (1) 07:16	07:50	
17:23	18:00	18:34	25 17:23 (1) 20:07	20:40	21:08	21:14	20:50	20:03	19:10	27 18:00 (1) 17:26	17:07	
8 08:04	07:42	08:02	17:59 (1) 07:10	06:27	06:04	06:11	06:38	07:10	07:41	17:32 (1) 07:17	07:51	
17:24	18:01	19:35	22 18:21 (1) 20:08	20:41	21:09	21:14	20:49	20:02	19:09	29 18:01 (1) 17:25	17:07	
9 08:04	07:41	08:00	18:02 (1) 07:08	06:25	06:03	06:12	06:39	07:11	07:42	17:30 (1) 07:18	07:52	
17:25	18:03	19:37	17 18:19 (1) 20:10	20:42	21:09	21:14	20:47	20:00	19:07	32 18:02 (1) 17:24	17:07	
10 08:04	07:40	07:59	18:05 (1) 07:07	06:24	06:03	06:12	06:40	07:12	07:43	17:29 (1) 07:19	07:52	
17:26	18:04	19:38	9 18:14 (1) 20:11	20:43	21:10	21:13	20:46	20:15	19:05	33 18:02 (1) 17:23	17:07	
11 08:03	07:39	07:57	17:50 (1) 07:14	07:05	06:23	06:03	06:13	06:41	07:13	07:44	17:28 (1) 07:20	07:53
17:27	18:05	19:39	17:51 (1) 07:15	20:12	20:44	21:10	20:45	19:55	19:04	34 18:02 (1) 17:22	17:07	
12 08:03	07:38	07:55	17:52 (1) 07:16	07:04	06:22	06:14	06:42	07:14	07:45	17:27 (1) 07:22	07:54	
17:28	18:06	19:40	17:53 (1) 07:17	20:13	20:45	21:11	20:43	19:53	19:02	35 18:02 (1) 17:21	17:08	
13 08:03	07:36	07:54	17:54 (1) 07:18	07:02	06:21	06:03	06:14	06:43	07:15	07:46	17:27 (1) 07:23	07:55
17:30	18:08	19:41	17:55 (1) 07:19	20:14	20:46	21:11	20:42	19:51	19:01	36 18:03 (1) 17:20	17:08	
14 08:02	07:35	17:10 (1) 07:52	07:00	06:20	06:03	06:15	06:44	07:16	07:47	17:26 (1) 07:24	07:56	
17:31	18:09	5 17:15 (1) 19:42	20:15	20:47	21:12	21:11	20:41	19:50	18:59	37 18:03 (1) 17:19	17:08	
15 08:02	07:34	17:06 (1) 07:50	06:59	06:19	06:03	06:16	06:45	07:17	07:49	17:26 (1) 07:25	07:56	
17:32	18:10	14 17:20 (1) 19:43	20:16	20:48	21:12	21:11	20:39	19:48	18:57	37 18:03 (1) 17:18	17:08	
16 08:02	07:32	17:02 (1) 07:49	06:57	06:18	06:03	06:17	06:46	07:18	07:50	17:25 (1) 07:27	07:57	
17:33	18:11	20 17:22 (1) 19:44	20:17	20:49	21:13	21:10	20:38	19:46	18:56	37 18:02 (1) 17:17	17:08	
17 08:01	07:31	17:01 (1) 07:47	06:56	06:17	06:03	06:18	06:47	07:19	07:51	17:25 (1) 07:28	07:58	
17:34	18:13	23 17:24 (1) 19:46	20:18	20:50	21:13	21:10	20:36	19:45	18:54	37 18:02 (1) 17:16	17:09	
18 08:01	07:30	16:59 (1) 07:45	06:54	06:16	06:03	06:18	06:48	07:20	07:52	17:25 (1) 07:29	07:58	
17:35	18:14	26 17:25 (1) 19:47	20:19	20:51	21:14	21:10	20:35	19:43	18:53	36 18:01 (1) 17:16	17:09	
19 08:00	07:28	16:58 (1) 07:44	06:53	06:15	06:03	06:19	06:49	07:21	07:53	17:26 (1) 07:30	07:59	
17:36	18:15	19 17:27 (1) 19:48	20:20	20:52	21:14	21:08	20:34	19:41	18:51	35 18:01 (1) 17:15	17:09	
20 08:00	07:27	16:56 (1) 07:42	06:51	06:14	06:03	06:20	06:50	07:22	07:54	17:26 (1) 07:31	08:00	
17:38	18:16	31 17:27 (1) 19:49	20:22	20:53	21:14	21:08	20:32	19:39	18:50	34 18:00 (1) 17:14	17:10	
21 07:59	07:25	16:56 (1) 07:40	06:50	06:13	06:03	06:21	06:51	07:23	07:55	17:26 (1) 07:33	08:00	
17:39	18:18	33 17:29 (1) 19:50	20:23	20:54	21:14	21:07	20:31	19:38	18:48	33 17:59 (1) 17:13	17:10	
22 07:58	07:24	16:55 (1) 07:39	06:48	06:13	06:04	06:22	06:53	07:24	07:57	17:27 (1) 07:34	08:01	
17:40	18:19	35 17:30 (1) 19:51	20:24	20:55	21:15	21:06	20:29	19:36	18:47	31 17:58 (1) 17:13	17:11	
23 07:58	07:22	16:54 (1) 07:37	06:47	06:12	06:04	06:23	06:54	07:25	07:58	17:28 (1) 07:35	08:01	
17:41	18:20	36 17:30 (1) 19:52	20:25	20:56	21:15	21:05	20:28	19:34	18:45	28 17:56 (1) 17:12	17:11	
24 07:57	07:21	16:54 (1) 07:35	06:45	06:11	06:04	06:24	06:55	07:26	07:59	17:30 (1) 07:36	08:02	
17:43	18:21	36 17:30 (1) 19:53	20:26	20:57	21:15	21:04	20:26	19:32	18:44	25 17:55 (1) 17:12	17:12	
25 07:56	07:19	16:54 (1) 07:34	06:44	06:10	06:04	06:25	06:56	07:27	08:00	17:31 (1) 07:37	08:02	
17:44	18:22	36 17:30 (1) 19:54	20:27	20:58	21:15	21:04	20:25	19:31	18:43	23 17:54 (1) 17:11	17:12	
26 07:55	07:18	16:53 (1) 07:32	06:42	06:10	06:05	06:25	06:57	07:28	08:01	17:33 (1) 07:38	08:02	
17:45	18:24	37 17:30 (1) 19:55	20:28	20:59	21:15	21:03	20:23	19:29	18:41	18 17:51 (1) 17:11	17:13	
27 07:54	07:16	16:53 (1) 07:30	06:41	06:09	06:05	06:26	06:58	07:29	08:02	17:35 (1) 07:39	08:03	
17:46	18:25	37 17:30 (1) 19:57	20:29	21:00	21:15	21:02	20:21	19:27	18:40	13 17:48 (1) 17:10	17:14	
28 07:54	07:15	16:53 (1) 07:28	06:39	06:08	06:05	06:27	06:59	07:30	08:04	17:41	08:03	
17:47	18:26	36 17:29 (1) 19:58	20:30	21:00	21:15	21:01	20:20	19:26	18:38	17:10	17:14	
29 07:53	07:14	16:52 (1) 07:27	06:38	06:08	06:06	06:28	06:58	07:31	08:05	17:42	08:03	
17:49	18:27	19:59	20:31	21:01	21:15	21:00	20:18	19:24	18:37	17:09	17:15	
30 07:52	07:14	16:52 (1) 07:25	06:37	06:07	06:06	06:29	07:01	07:32	08:06	17:43	08:04	
17:50	18:28	20:00	20:32	21:02	21:15	20:59	2					

Project:
Pettisville



Printed/Page
8/28/2010 7:07 PM / 15

Licensed user:
Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E
US-44094 Kirtland, Ohio
4717
AAron Godwin / AAron@ConserveFirst.com
Calculated:
8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar

Shadow receptor: L - Shadow Receptor: 1.0 x 1.0 Azimuth: -180.0° Slope: 90.0° (15)

Assumptions for shadow calculations

Maximum distance for influence 2,000 m
Minimum sun height over horizon for influence 3 °
Day step for calculation 1 days
Time step for calculation 1 minutes

Sunshine probability S (Average daily sunshine hours) [CLEVELAND]

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
3.47	4.37	4.90	7.57	8.91	9.33	10.21	9.01	6.89	5.70	2.71	1.87

Operational time

N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Sum
236	212	320	568	507	352	282	294	417	671	766	834	753	674	453	318	7,657

Idle start wind speed: Cut in wind speed from power curve

	January	February	March	April	May	June	July	August	September	October	November	December		
1	08:04	07:50	07:13	07:22	08:12 (1)	06:35	06:06	06:07	06:31	07:03	08:04 (1)	07:33		
	17:18	17:53	18:27	20:01	36	08:48 (1)	20:33	21:04	21:15	20:13	42	08:46 (1)	19:20	
2	08:04	07:49	07:12	07:20	08:10 (1)	06:34	06:06	06:07	06:32	07:04	08:04 (1)	07:34		
	17:19	17:54	18:28	20:02	38	08:48 (1)	20:35	21:04	21:15	20:12	42	08:46 (1)	19:19	
3	08:04	07:48	07:10	07:18	08:09 (1)	06:33	06:05	06:08	06:33	07:05	08:03 (1)	07:36		
	17:20	17:55	18:30	20:03	39	08:48 (1)	20:36	21:05	21:15	20:10	43	08:46 (1)	19:17	
4	08:04	07:47	07:09	07:17	08:09 (1)	06:31	06:05	06:08	06:34	07:06	08:03 (1)	07:37		
	17:20	17:56	18:31	20:04	40	08:49 (1)	20:37	21:06	21:15	20:08	42	08:45 (1)	19:15	
5	08:04	07:46	07:07	07:15	08:07 (1)	06:30	06:05	06:08	06:35	07:07	08:03 (1)	07:38		
	17:21	17:58	18:32	20:05	42	08:49 (1)	20:38	21:07	21:15	20:07	42	08:45 (1)	19:14	
6	08:04	07:45	07:05	07:13	08:06 (1)	06:29	06:04	06:10	06:36	07:08	08:03 (1)	07:39		
	17:22	17:59	18:33	20:06	43	08:49 (1)	20:39	21:07	21:15	20:05	42	08:45 (1)	19:12	
7	08:04	07:44	07:04	07:12	08:07 (1)	06:28	06:04	06:10	06:37	07:09	08:03 (1)	07:40		
	17:23	18:00	18:34	20:07	42	08:49 (1)	20:40	21:08	21:14	20:03	41	08:44 (1)	19:10	
8	08:04	07:42	08:02	07:10	08:06 (1)	06:27	06:04	06:11	06:38	07:10	08:03 (1)	07:41		
	17:24	18:01	19:35	20:09	42	08:48 (1)	20:41	21:09	21:14	20:02	40	08:43 (1)	19:09	
9	08:04	07:41	08:00	07:08	08:06 (1)	06:25	06:03	06:12	06:39	07:11	08:03 (1)	07:42		
	17:25	18:03	19:37	20:10	43	08:49 (1)	20:42	21:09	21:14	20:00	40	08:43 (1)	19:07	
10	08:04	07:40	07:59	07:07	08:06 (1)	06:24	06:03	06:12	06:40	07:12	08:03 (1)	07:43		
	17:26	18:04	19:38	20:11	42	08:48 (1)	20:43	21:10	21:13	20:57	39	08:42 (1)	19:09	
11	08:03	07:39	07:57	07:05	08:05 (1)	06:23	06:03	06:13	06:41	07:13	08:04 (1)	07:44		
	17:27	18:05	19:39	20:12	42	08:47 (1)	20:44	21:10	21:13	20:55	37	08:41 (1)	19:04	
12	08:03	07:38	07:56	07:04	08:06 (1)	06:22	06:03	06:14	06:42	07:14	08:04 (1)	07:45		
	17:28	18:07	19:40	20:13	41	08:47 (1)	20:45	21:11	21:12	20:53	35	08:39 (1)	19:02	
13	08:03	07:36	07:54	07:02	08:06 (1)	06:21	06:03	06:14	06:43	07:15	08:05 (1)	07:46		
	17:30	18:08	19:41	20:14	39	08:45 (1)	20:46	21:11	21:12	20:46	33	08:38 (1)	19:01	
14	08:02	07:35	07:52	07:00	08:06 (1)	06:20	06:03	06:15	06:44	07:16	08:06 (1)	07:47		
	17:31	18:09	19:42	20:15	39	08:45 (1)	20:47	21:12	21:11	20:45	30	08:36 (1)	18:59	
15	08:02	07:34	07:51	06:59	08:06 (1)	06:19	06:03	06:16	06:45	07:17	08:08 (1)	07:49		
	17:32	18:10	19:43	20:16	37	08:43 (1)	20:48	21:12	21:11	20:39	26	08:34 (1)	18:57	
16	08:02	07:32	07:49	06:57	08:06 (1)	06:18	06:03	06:17	06:46	07:18	08:10 (1)	07:50		
	17:33	18:12	19:44	20:17	36	08:42 (1)	20:49	21:13	21:10	20:38	21	08:31 (1)	18:56	
17	08:01	07:31	07:47	06:56	08:08 (1)	06:17	06:03	06:18	06:47	07:19	08:13 (1)	07:51		
	17:34	18:13	19:46	20:18	33	08:41 (1)	20:50	21:13	21:10	20:36	14	08:27 (1)	18:54	
18	08:01	07:30	07:45	06:54	08:08 (1)	06:16	06:03	06:18	06:48	07:20		07:52	07:58	
	17:35	18:14	19:47	20:19	31	08:39 (1)	20:51	21:14	21:09	20:35		18:53	17:16	
19	08:00	07:28	07:44	06:53	08:10 (1)	06:15	06:03	06:19	06:49	07:21		07:53	07:59	
	17:36	18:15	19:48	20:20	28	08:38 (1)	20:52	21:14	21:08	20:34		18:51	17:15	
20	08:00	07:27	07:42	06:51	08:11 (1)	06:14	06:03	06:20	06:50	08:25 (1)	07:22		07:54	07:31
	17:38	18:16	19:49	20:22	24	08:35 (1)	20:53	21:14	21:08	20:32	7	08:32 (1)	19:39	
21	07:59	07:25	07:40	06:50	08:13 (1)	06:13	06:03	06:21	06:52	08:20 (1)	07:23		07:55	07:33
	17:39	18:18	19:50	20:23	20	08:33 (1)	20:54	21:15	21:07	20:31	16	08:36 (1)	19:38	
22	07:58	07:24	07:39	06:48	08:15 (1)	06:13	06:04	06:22	06:53	08:17 (1)	07:24		07:57	07:34
	17:40	18:19	19:51	20:24	15	08:30 (1)	20:55	21:15	21:06	20:29	22	08:39 (1)	19:36	
23	07:58	07:22	07:37	06:47	08:20 (1)	06:12	06:04	06:23	06:54	08:15 (1)	07:25		07:58	07:35
	17:41	18:20	19:52	20:25	5	08:25 (1)	20:56	21:15	21:05	20:28	25	08:40 (1)	19:34	
24	07:57	07:21	07:35	06:45	08:11 (1)	06:11	06:04	06:24	06:55	08:13 (1)	07:26		07:59	07:36
	17:43	18:21	19:53	20:26		08:20 (1)	20:57	21:15	21:04	20:26	29	08:42 (1)	19:32	
25	07:56	07:19	07:34	06:44	08:10 (1)	06:10	06:04	06:25	06:56	08:12 (1)	07:27		08:00	07:37
	17:44	18:22	19:54	20:27		08:19 (1)	20:58	21:15	21:04	20:25	31	08:43 (1)	19:31	
26	07:55	07:18	07:32	08:25 (1)	06:42	08:06 (1)	06:05	06:26	06:57	08:10 (1)	07:28		08:01	07:38
	17:45	18:24	19:55	13	08:38 (1)	20:28	20:59	21:15	21:03	20:23	34	08:44 (1)	19:29	
27	07:55	07:16	07:30	08:21 (1)	06:41	08:06 (1)	06:05	06:26	06:58	08:09 (1)	07:29		08:02	07:39
	17:46	18:25	19:57	20	08:41 (1)	20:29	21:00	21:15	21:02	20:21	36	08:45 (1)	19:27	
28	07:54	07:15	07:29	08:19 (1)	06:39	08:08	06:05	06:27	06:59	08:08 (1)	07:30		08:04	07:41
	17:48	18:26	19:58	25	08:44 (1)	20:30	21:00	21:15	21:01	20:20	37	08:45 (1)	19:26	
29	07:53		07:27	08:16 (1)	06:38	08:06	06:06	06:28	07:00	08:07 (1)	07:31		08:05	07:42
	17:49		19:59	29	08:45 (1)	20:31	21:01	21:15	21:00	20:18	39	08:46 (1)	19:24	
30	07:52		07:25	08:14 (1)	06:37	08:07	06:06	06:29	07:01	08:05 (1)	07:32		08:06	07:43
	17:50		20:00	32	08:46 (1)	20:32	21:02	21:15	20:59	20:17	40	08:45 (1)	19:22	
31	07:51		07:23	08:12 (1)		08:07		06:30	07:02	08:05 (1)			08:07	08:04
	17:51		20:00	35	08:47 (1)		21:03		20:58	20:15	41	08:46 (1)	19:22	
												344	297	286
	Potential sun hours	296	297	370	370	399	449	454	461	429	375			
	Total, worst case					154	797			357	609			
	Sun reduction					0.41	0.57			0.65	0.55			
	Oper. time red.					0.87	0.87			0.87	0.87			
	Wind dir. red.					0.69	0.69			0.69	0.69			
	Total reduction					0.25	0.34			0.39	0.33			
	Total, real					38	272			139	201			

Table layout: For each day in each month the following matrix apply

Day in month	Sun rise (hh:mm)	Minutes with flicker	First time (hh:mm) with flicker	(WTG causing flicker first time)
	Sun set (hh:mm)		Last time (hh:mm) with flicker	(WTG causing flicker last time)

WindPRO is developed by EMD International A/S, Niels Jernesvej 10, DK-9220 Aalborg Ø, Tlf. +45 96 35 44 44, Fax +45 96 35 44 46, e-mail: windpro@emd.dk

Project:
Pettisville




Printed/Page
8/28/2010 7:07 PM / 16


Licensed user:
Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E
US-44094 Kirtland, Ohio
4717
AAron Godwin / AAron@ConserveFirst.com
Calculated:
8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar, graphical


A: Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (2)




B: Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (3)




C: Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (4)




D: Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (5)



E: Shadow Receptor: 1.0 × 1.0 Azimuth: -180.0° Slope: 90.0° (6)



F: Shadow Receptor: 30.0 × 30.0 Azimuth: -180.0° Slope: 90.0° (9)



WTGs

1: Unison U54-750kW 750 54.0 !O! hub: 75.0 m (3)

Project:
Pettisville




Printed/Page
8/28/2010 7:07 PM / 17


Licensed user:
Conserve First LLC, d/b/a The Renaissance Group, Renewables
8281 Euclid Chardon Road, Suite E
US-44094 Kirtland, Ohio
47171
AAron Godwin / AAron@ConserveFirst.com
Calculated:
8/28/2010 7:06 PM/2.7.473

SHADOW - Calendar, graphical


G: Shadow Receptor: 30.0×30.0 Azimuth: -180.0° Slope: 90.0° (10)




H: Shadow Receptor: 1.0×1.0 Azimuth: -180.0° Slope: 90.0° (11)




I: Shadow Receptor: 1.0×1.0 Azimuth: -180.0° Slope: 90.0° (12)




J: Shadow Receptor: 1.0×1.0 Azimuth: -180.0° Slope: 90.0° (13)



K: Shadow Receptor: 1.0×1.0 Azimuth: -180.0° Slope: 90.0° (14)



L: Shadow Receptor: 1.0×1.0 Azimuth: -180.0° Slope: 90.0° (15)



WTGs

1: Unison U54-750kW 750 54.0 !O! hub: 75.0 m (3)

Turbine Use, Safety Policies and General Background

Security:

- Tower Climbing: The wind turbine utilizes a smooth exterior monopole tower with no climbing surfaces or apparatus. Tower climbing is only achieved through the use of an internal ladder system. This system is only reachable through a locked plate steel door.
- Availability: Only preauthorized personnel will be given access to the internal tower and turbine systems.

Tower Climbing Safety:

- Safety Climb: For maintenance personnel climbing of the tower, an OSHA approved "safety climb" system is included in the tower climbing system. This system is comprised of a ladder, a steel cable for the safety climb device, a full body harness designed and approved for the purpose, a locking safety climb device, safety lanyards with self-locking clips and additional tie-in points throughout the turbine system where a cable system is not available.
- OSHA approved safety equipment such as hardhats will be worn by all maintenance personnel climbing or working on the turbine.
- No individual shall climb the tower without a partner.

Electrical Safety:

- All electrical components and their installations shall meet all Local, State and Federal applicable laws and regulations.
- The turbine system shall meet UL1741 and IEC requirements for Utility Grid Protection in case of Grid power failures or power quality abnormalities.
- All electrical supply/grid interconnect services to and from the turbine shall be in buried conduits.
- The turbine system will have a staff accessible emergency shut-offs.
 - Utility room
 - Tower base
 - Nacelle
 - Remote through "Web" interface.

- The turbine system will have an automated system fault shut-off triggered at a minimum by the following sensors: System temperature, power quality, vibration, over-speed, fire and icing.
 - This system will also automatically send fault codes to preauthorized personnel through a "Web" interface.
- All safety sensors and equipment shall fault to a turbine fault state in case of their own failure.

Fire:

- The turbine shall have fire detection devices at the tower base and within the nacelle that shall be linked to the Site's existing fire detection/alarm systems (if present).
- The local fire department shall be contacted and a fire/emergency response plan shall be adopted.
- Although formal fire suppression systems are extremely rare for wind turbines, the site shall investigate passive and active fire suppression systems for possible implementation in the turbine system.
- Local fire department approved fire extinguishers shall be located within the tower base and within the nacelle.
- The turbine system will have staff accessible emergency shut-offs.
 - Utility room
 - Tower base
 - Nacelle
 - Remote through "Web" interface.
- The turbine system will have an automated system fault shut-off triggered at a minimum by the following sensors: System temperature, power quality, vibration, over-speed, fire and icing.
 - This system will also automatically send fault codes to preauthorized personnel through a "Web" interface.
- Safety zones similar to any fire related incident will be utilized, if a fire should occur.

Lightening:

- The turbine system is equipped with a full grounding loop meeting or exceeding all Local, State and Federal regulations concerning grounding and lightening protection.
- Surge suppressing technology will be utilized to protect key electronics.
- See fire policies above.

Icing:

- Although icing of wind turbines is very rare and safety issues related to icing even rarer, it can occur, similar to any built structure (roofs, power lines, stadium lights, etc.).
- Although not an absolute brake, blade icing induced airfoil shape spoiling will naturally reduce the efficiency of the blades and thus reduce their rotational speed.
- Although formal icing detection systems are extremely rare for wind turbines, the site shall investigate active icing detection systems for possible implementation in the turbine system.
- The turbine system will have an automated system fault shut-off triggered at a minimum by the following sensors: System temperature, power quality, vibration, over-speed, fire and icing (vibration caused by blade icing induced imbalances will automatically shut down the turbine).
 - This system will also automatically send fault codes to preauthorized personnel through a "Web" interface.
- The turbine's nacelle will have a cold-weather package including nacelle heaters. These heaters are designed to maintain nacelle temperatures above the dew-point and well above freezing. This system will automatically melt snow and ice accumulation on top of the nacelle.
- The turbine system will have a staff accessible emergency shut-offs.
 - Utility room
 - Tower base
 - Nacelle
 - Remote through "Web" interface.
- All icing related turbine shut-downs will require a direct inspection and an on-site manual restart.
- The site personnel and the system maintenance personnel will shut down the turbine in the event of an icing condition.
- The site shall adopt an ice safety zone around the turbine for implementation during icing events, if they should occur.

High Wind:

- The turbine automatically shuts down in high winds and turns itself out of the wind.
- The turbine system will have an automated system fault shut-off triggered at a minimum by the following sensors: System temperature, power quality, vibration,

over-speed, fire and icing (vibration caused by blade icing induced imbalances will automatically shut down the turbine).

- This system will also automatically send fault codes to preauthorized personnel through a "Web" interface.

Aviation Safety:

- The project has been review by both FAA and ODOT and "No Hazard to Aviation" determinations were issued.
- An FAA approved red obstruction marking light will be located on top of the nacelle.

Shadow Flicker:

- Although all structures cast shadows, shadows from wind turbines that reach occupied structures or areas can be considered a nuisance due to the fact that they move or flicker as the blades rotate in front of the Sun.
- A formal shadow flicker study has been conducted for the site based on the turbine's rotor diameter and height, the site latitude and longitude, weather records, existing site topography and the existing area obstructions.
- Per international standards, shadow flicker impacting a particular location above 30 hours per year is considered a potential nuisance. While the turbine's shadow will reach some of the area properties, no residential or business property locations will receive more than 30 hours of shadow per year. Other factors that mitigate the shadows' impact include:
 - Shadow intensity drops off with distance. Shadow edges soften and shadow bodies become more muted. Shadows beyond ten rotor diameters from the tower base are considered insignificant with shadows within five rotor diameters being the most significant.
 - Shadows move and do not remain in one spot for extended periods of time.
 - The longest extended period shadows occur in the winter when there are fewer sunny days.
 - Many local natural and built environmental elements such as trees will block or significantly diffuse shadows.
- If extended adverse shadows should impact a particular dwelling, the wind turbine site owner will take one or more of the following mitigating measures:
 - Plant evergreen trees to block the shadow.
 - Provide blinds for the dwelling.
 - Turn off the turbine during the shadowing periods that excessively affect the dwelling.

Sound:

- Wind turbines of the size to be installed are inherently quite devices, especially over distance, and are typically very hard to hear over the wind itself and the existing ambient area noise levels.
 - Sound from a single wind turbines typically comes from the following areas:
 - Wind noise off of the blades as they are driven by the wind (swooshing that drops off over distance and typically competes with the area's natural wind noise).
 - Drive-train noise (mechanical sound typically not heard outside the immediate vicinity of the turbine).
 - Yaw system noise (mechanical sound typically not heard outside the immediate vicinity of the turbine and that is only present when the turbine turns into the wind).
 - Electrical noise from the turbine's electrical equipment and transformer (buzz, typically not heard outside the immediate vicinity of the turbine).
- Sound modeling for the proposed wind turbine supports that turbine produced audio levels will not exceed any local code or ordinance at the site's property lines. To be conservative, this modeling was done at an 8 mps/17.9 mph wind speed, well above site averages.
- Sound measurement of existing ambient sound levels for both day and evening periods at multiple locations surrounding the site show existing ambient sound levels above what the wind turbine will produce.

References

- British Epilepsy Association. 2007.
Photosensitive Epilepsy. Epilepsy Action, Yeadon Leeds, UK. Department for Business Enterprise & Regulatory Reform (BERR).
<http://www.berr.gov.uk/whatwedo/energy/sources/renewables/planning/onshore-wind>
- Business Enterprise and Regulatory Reform (BERR), United Kingdom Department. 2009.
Onshore Wind: Shadow Flicker.
<http://webarchive.nationalarchives.gov.uk/+/http://www.berr.gov.uk/files/file35240.pdf>
- Graham Harding, Pamela Harding, Arnold Wilkins (2008)
Wind turbines, flicker, and photosensitive epilepsy: Characterizing the flashing that may precipitate seizures and optimizing guidelines to prevent them.
<http://www.mfe.govt.nz/rma/call-in-turitea/submissions/186changeappendix3.pdf>
- Klepinger, Michael. February 2007.
Michigan Land Use Guidelines for Siting Wind Energy Systems.
 Michigan State Extension Bulletin.
- National Research Council (NRC) of the National Academies. 2007.
Environmental Impacts of Wind Energy Projects.
 Committee on Environmental Impacts of Wind Energy Projects, Board on Environmental Studies and Toxicology. Division of Earth and Life Sciences. The National Academies Press, Washington, DC.
- Sustainable Energy Authority Victoria. 2003.
Policy Planning and Guidelines for Development of Wind Energy Facilities in Victoria.
 Sustainable Energy Authority Victoria, Melbourne Victoria, Australia.
- US Department of Interior (DOI). 2005.
Final Programmatic Environmental Impact Statement on Wind Energy Development on BLM-Administered Lands in the Western United States.
 Bureau of Land Management.

ⁱ The only known shadow flicker regulation to date was enacted in Germany, where a court ruled that the maximum allowable flicker would be 30 hours per year (Klepinger, 2007). In addition, Dobesch and Kury (2001) recommended that shadow flicker should not exceed 30 hours per year, and the guidelines for wind power development in the State of Victoria, Australia state that shadow flicker may not exceed 30 hours per year at any dwelling in the surrounding area (Sustainable Energy Authority Victoria, 2003). Since there are no known national or local regulations that govern shadow flicker in the United States, New York State, or Steuben County, the 30-hour per year threshold is used in this analysis to determine potentially impacted structures.

http://www.eon.com/en/downloads/Appendix_M_Shadow_Flicker_Modeling_Report.pdf

ⁱⁱ Epilepsy Foundation. (n.d.). Photosensitivity and Epilepsy.
<http://www.epilepsyfoundation.org/about/photosensitivity/>

ⁱⁱⁱ As there is a possibility of a turbine model change on the project, the worst case largest model under consideration was used for the shadow flicker models.